# SUBJECT INDEX, VOLUME 56, 1963*


AC (see Amer. Cyan.)
Acarina, 317, 565
*Aceratagallia curvata*, damage to seedling alfalfa, 93
*sanguinolenta*, 558
Acetone against: house fly, 68
*Achaetoneura aletiae*, 283
*Acyrthosiphon pisum*, 206, 559
*solani*, 680, 900
*Idelphocoris lineolatus*, 557
*Aedes aegypti*, 58, 479, 644, 906
DDT-resistance in, 511
response to gamma radiation, 416
ultrasonic waves on hatching eggs, 668
*Aedes melanimon*, 123
*Aeneolamia saccharina*, 748
*Agathis laticincta*, 731
*Agrilus rubicola communis*, 674
*ruficollis*, 675
Agromyzidae, 736
*Agrothereutes* spp., 620
Aircraft disinsectization, dusts for, 869
Aldrin, emergence of wheat plants from seed treated with, 32
inhibition of conversion to dieldrin, 485
resistance in northern corn rootworm, 894
specificity to DDVP, 638
Aldrin against: beet webworm, 250
cowpea curculio, 735
*Cryptophlebia illepida*, 364
*Drosophila melanogaster*, 726
European earwig, 29
holly leaf miner, 737
*Hylemya* spp., 563
Hymenoptera and coccinellid parasites, 697
onion maggot, 581
southern corn rootworm, 16
*Tetranychus telarius*, 275
western bean cutworm, 223
wireworms, 9
Alfalfa, *Aceratagallia* damage to, 93
Asiatic oak weevil in, 531
fields, spatial pattern of pea aphid in, 104
reaction to alfalfa weevil, 192
Alfalfa resistance to: aphids influenced by temperature and humidity, 53
spotted alfalfa aphid, 84
Alfalfa seed chalcid, insecticide toxicity to, 542
Alfalfa weevil, biological control program, 609
fall flight period, 241
feeding behavior, 489
heptachlor and malathion against, 239
hymenopterous parasites of, 533
reaction of alfalfa to, 192
Alkyl 2,4,5-trichlorophenyl *N*-alkylphosphoramidates, activity of, 808
Allethrin, resistance of house flies to, 152
*Altica corni*, parasitism of, 537
*Amblymerus verditor*, 267
*Amblyomma americanum*, 501, 833
*Amblysellus curtisii*, 558
*Amblytylus nasutus*, 559
*Amedoria spinosa*, 538
American cockroach, collection of sex attractant from, 119
Amer. Cyan. 24055 against corn earworm, 41
Amer. Cyan. CL 38023 (see also Famophos)
Amer. Cyan. CL 38023, evaluation of, 831
Amer. Cyan. CL 38023 against: cowpea curculio, 734
oriental rat flea, 391
Amer. Cyan. CL 38064 against oriental rat flea, 391
Amer. Cyan. 43064 against: alfalfa seed chalcid, 542
broccoli pests, 766
lepidopterous larvae, 877
Amer. Cyan. 43073 against cyclamen mite, 569
Amer. Cyan. 47300 against face fly, 25
Amino acid of corn silks, resistance to corn earworm, 902
*Anastrepha ludens*, 289, 394, 496, 540
Animal systemic insecticides, 1962 evaluation of, 831
*Anisopteromalus calandrae*, 586
*Anopheles aconitus*, 671
*freeborni*, 123
*philippinensis*, 670
*stephensi*, tagging of, 672
*vagus*, 671
Ant-induced outbreaks, basis of, 116
Anthocoridae, 556
*Anthonomus eugenii*, 340, 656
*grandis*, 74, 110, 129, 180, 189, 351, 357, 449, 494, 586, 761, 789, 791, 793, 860, 892, 894, 900, 902
*grandis*, mating behavior, 605
*Anthrenus flavipes*, 2
*verbasci*, 2
Antibiotics, effects on orchard mites, 438
Anticholinesterases in blood and cattle grubs from ronnel-treated cattle, 872
Antimetabolite, imidazole, 1
*Aonidiella aurantii*, 695, 884
*citrina*, 116
Apache cicada, protection of dates from, 875
*Apanteles fumiferanae*, 267
*Aphaereta pallipes*, 254
Aphidae, 557
*Aphidius matricariae*, 340
*testaceipes*, 114
Aphids, antibiotics against, 412
control of on lily, 680
relationship with sprout inhibitors on potatoes, 899
*Aphis fabae*, 207
*gossypii*, 328, 865, 900
*nasturtii*, 228
*pomi*, 414
Apholate against house fly, 445
*Aphomia sociella*, 543
*Aphrodes bicinctus*, 558
*fuscofasciata*, 559
*Aphrophora saratogensis*, 429
*Aphytis chrysomphali*, 604
*holoxanthus*, parasite of Florida red scale, 603
*lingnanensis*, 695
Apidae, 905
*Apis indica*, 905
*mellifera*, 6, 415, 543
*Aplomya caesar*, 268
Apoidea associated with peanut flowering, 905
Apple, biotic control factors of *Spilonota* on, 730
eye-spotted bud moth pupation sites on, 689
spray deposits on, 399
Apple maggot, lead arsenate against, 160, 626
Apple trees, scissors device for collecting leaf samples, 235
*Aprostocetus* sp., 462
*Arachnis albescens*, 282
Aramite against: Hymenoptera and coccinellid parasites, 697
*Tetranychus telarius*, 275
two-spotted spider mites, 225
*Archips fumiferana*, 266
*Argyrotaenia velutinana*, 86, 240
arrested development in, 634
Army cutworm, longevity and fecundity of, 219
*Arthaldeus pascuellus*, 558
*Ascogaster quadridentata*, 731
Asiatic oak weevil in alfalfa and red clover, 531
ASP-51, in chick rations, 848
*Aspergillus flavus*, 732
sp., 732
Aspirator, portable, 237
*Athysanus argentarius*, 558
*Attagenus piceus*, 2
*Aulacorthum solani*, 227

*Bacillus* against tomato insects, 815
*Bacillus cereus mycoides* against eye-spotted bud moth, 732
*Bacillus thuringiensis* (see also Thuricide)
*Bacillus thuringiensis* against: caterpillars, 156
codling moth eggs, 663
corn earworm, 41
European corn borer, 804
green peach aphid, 35
Baits, attractiveness of insecticide to *Drosophila melanogaster*, 725
Bakthane (see also *Bacillus thuringiensis*)
Bakthane against: codling moth eggs, 663
European corn borer, 806
western bean cutworm, 223
Bakthane L-69 against: caterpillars on tomatoes, 156
green peach aphid, 35
Balsam twig aphid, new distribution record for, 113
Banana insect pests, enemies of, 282
Banded cucumber beetle, control of, 770
*Barbara colfaxiana*, 600
Barley, resistance to corn leaf aphid, 113
*Bathyplectes anura*, 611
*curculionis*, 609
Bayer 9018 against cattle grub, 717
Bayer 16948, in chick rations, 848
Bayer 18510, in chick rations, 848
Bayer 18779, in chick rations, 848
Bayer 22408 against: aquatic wildlife, 185
corn earworm, 41
flies, 86, 214, 345
Bayer 22684, in chick rations, 848
Bayer 22893, in chick rations, 848
Bayer 23655 against: cyclamen mite, 569
oriental rat flea, 391
Bayer 25141 against: banded cucumber beetle, 771
broccoli pests, 766
cowpea curculio, 734
*Empoasca kraemeri*, 418
*Hippelates*, 49
vegetable insects, 688
wireworms, 9


* Compiled by Gladys O. Visel.

Bayer 25142, in chick rations, 848
Bayer 25142 against oriental rat flea, 391
Bayer 25198, in chick rations, 848
Bayer 25316, evaluation of, 831
Bayer 25820 against cotton pests, 74
Bayer 26141 against *Empoasca kraemeri*, 418
Bayer 26405, evaluation of, 831
Bayer 29492 against aquatic wildlife, 185
Bayer 29493 (see also Baytex)
Bayer 29493, evaluation of, 832
specificity of DDVP, 637
Bayer 29493 against: banded cucumber beetle, 771
boll weevil and bollworm, 791
brown dog tick, 415
cattle grub, 102, 632
Clear Lake gnat, 622
corn earworm, 41
cotton insects, 902
cowpea curculio, 734
flies, 80, 258, 345, 561, 684
*Gasterophilus* larvae, 50
green rice leafhopper, 775
*Hippelates*, 49
holly leaf miner, 737
lice on goats and sheep, 658
midges, 237, 719
mites, 321, 792
mosquitoes, 644
onion maggot, 581
oriental rat flea, 391
southern cowpea weevil, 590
Bayer 29850 against *Hippelates*, 49
Bayer 29952 against: aquatic wildlife, 185
cotton pests, 74
Bayer 30237 against cotton pests, 74
Bayer 30468 against cotton pests, 74
Bayer 30749 against: aquatic wildlife, 185
cotton pests, 74
Bayer 30750 against cotton pests, 74
Bayer 30911 against: corn earworm, 41
cotton pests, 74
green peach aphid, 341
Bayer 31757 against cotton pests, 74
Bayer 31956 against cotton pests, 74
Bayer 32651 against corn earworm, 41
Bayer 34042 against aquatic wildlife, 185
Bayer 34098 against: house fly, 80
oriental rat flea, 391
Bayer 37289 against aquatic wildlife, 185
Bayer 37341, evaluation of, 832
Bayer 37341 against: *Gasterophilus* larvae, 50
house flies and horn flies, 346
Bayer 37342, evaluation of, 832
Bayer 37342 against: aquatic wildlife, 185
cattle grubs, 632
*Gasterophilus* larvae, 50
house flies and horn flies, 346
oriental rat flea, 391
Bayer 37343 against aquatic wildlife, 185
Bayer 37344 against: bollweevil and bollworm, 791
corn earworm, 41
cowpea curculio, 734
cyclamen mite, 570
*Empoasca kraemeri*, 418
holly leaf miner, 737
lepidopterous larvae, 877
Bayer 38156 against wireworms, 9
Bayer 38920 against: aquatic wildlife, 185
cyclamen mite, 569
western harvester ant, 296
Bayer 39007 against: alfalfa seed chalcid, 542
biting midges, 719
boll weevil, 192, 791, 892
bollworm, 791
corn earworm, 41
cowpea curculio, 734
holly leaf miner, 737
lepidopterous larvae, 877
oriental rat flea, 391
Bayer 39193, evaluation of, 831
Bayer 41831 against: aquatic wildlife, 185
boll weevil and bollworm, 791
corn earworm, 41
cowpea curculio, 734
face fly, 25
Bayer 42600, evaluation of, 831
Bayer 44646 against: boll weevil and bollworm, 791
broccoli pests, 766
cabbage loopers, 792
cowpea curculio, 734
cyclamen mite, 570
European corn borer, 806
lepidopterous larvae, 877
wireworms, 9
Baytex (see also Bayer 29493)
Baytex against mosquito larvae, 835
Bean plants, endosulfan in, 596
Beans, control of *Empoasca* on, 417
stored dried, southern cowpea weevil against, 588
*Beauveria bassiana* against: corn earworm, 41
green peach aphid, 35
Beef fat, heptachlor residues in, 71
Bees, associated with peanut flowering, 905
Sevin residues in, 415
Beet webworm, chemical control of, 248
Berytidae, 556
BHC against: banded cucumber beetle, 771
boll weevil, 587
Douglas-fir cone midge, 237
*Drosophila melanogaster*, 726
holly leaf miner, 737
Hymenoptera and coccinellid parasites, 697
locusts, 852
virus on sugar beet seed, 691
Bidrin (see also Shell SD 3562)
Bidrin against *Empoasca kraemeri*, 418
Binapacryl, resistance induction in *Tetranychus* with, 721
Binapacryl against cyclamen mite, 570
Bioassay technique, new, 635
Biology of: boll weevil in relation to cotton type, 789
harlequin bug, 108
*Glischrochilus quadrisignatus*, 681
*Neoaplactana*, 427
*Neodiprion* parasites, 619
Bionomics of eye-spotted bud moth, 903
Biting midges, killing by treated screens, 719
Bitterbrush, insects destructive to, 459
Black-light trap, portable, 536
Black vine weevil on grapes, 677
*Blattella germanica*, 5, 447, 479
*Blissus leucopterus*, availability of dieldrin to, 781
Blood, anticholinesterases in, 872
Boll weevil, arrestant and feeding stimulant, 449
attractant from cotton, 110
carbamate-induced repellency to, 892
chemotropic response of in cotton extracts, 761
in insecticide-treated fields, 350
mating behavior, 605
nematode parasite of, 897
physiology of dimethoate in, 129
repellent from cotton substance, 894
reproductive potential of, 180
resistance of cotton to, 189, 860
winter survival, 494
youden square for evaluation of insecticides, 586
Boll weevil larvae, insecticides against, 74
nutrition of, 357
Bollworm, physiology of dimethoate in, 129
resistance to insecticides, 442
Bombidae, 905
*Bombus* sp., 543
Book Review: Authors:
Gunther, Francis A., 422
Laidlaw, Harry H., Jr., 107
Book Reviews: Titles:
Queen Rearing, 107
Residue Reviews, vol. 1, 422
*Boricola limbata*, 658
*oris*, 658
*Brachycerus* sp., 839
*Brachymeria comitator*, 284
*Brachyrhinus sulcatus* on grapes, 677
Braconidae, 731
parasites reared from *Choristoneura pinus*, 267
*Brevicoryne brassicae*, 766, 845, 880
Broad beans, susceptibility to potato leafhopper, 895
Broccoli pests, insecticides against, 766
Brown dog ticks in homes, 415
*Bruchophagus roddi*, 542
Bumble bee cells, greater wax moth development on, 543
Butonate, evaluation of, 832
Butonate against: *Gasterophilus* larvae, 51
house flies and horn flies, 346
Butoxy polypropylene glycol (see also Crag Fly Repellent)
Butoxy polypropylene glycol against *Hippelates*, 755

Cabbage, control of lepidopterous larvae on, 877
Cabbage aphid, toxicity of insecticides to, 844
Cabbage looper, rearing medium, 536
Cable rubbers, for horn fly control, 230
Calcium arsenate against: banded cucumber beetle, 771
boll weevil, 587
California red scale, susceptibility to parathion, 884
*Caligo memnon*, 282
*Callosobruchus chinensis*, protectants against, 588
*Calotermes flavicollis*, 300
*Campoletis perdistinctus*, 137
*Capsus ater*, 558
Captan against: European red mite, 299
Hymenoptera and coccinellid parasites, 697
red-banded leaf roller, 87
*Tetranychus telarius*, 275
Carbamate insecticides, 862
Carbaryl (see also Sevin)
Carbaryl, reference curves in codling moth, 722
Carbaryl against lice on goats and sheep, 658
Carbophenothion (see also Trithion)
Carbophenothion, specificity to DDVP, 637
toxicity in livestock, 757
Carbophenothion against: aquatic wildlife, 185

Hymenoptera and coccinellid parasites, 697
onion maggot, 580
strawberry aphid, 535
Carboxyesterase in *Culex tarsalis*, 381
*Cardiochiles nigriceps*, 139
Cards, oil-sensitive, spray deposit on, 465
*Carpocapsa pomonella*, 343, 660, 722
mating and oviposition of, 140
Caterpillars, attacking tomato, 155
Cattle, anticholinesterases in blood and grubs from ronnel-treated, 872
Co-Ral residue in tissues, 759
diazinon residues in fat of, 858
loss of insecticide deposits on, 614
ronnel applied dermally to, 272
tolerance to diazinon sprays, 592
Cattle grub control: by ronnel, 500
in drinking water, 717
systemic insecticides for, 101, 632
Cattle grubs, anticholinesterases in, 872
Cauliflower, control of lepidopterous larvae on, 877
*Celama sorghiella*, 483
*Ceramidia butleri*, 282
*Ceraphron fitjiensis*, 113
*Ceratina hieroglyphica*, 905
*Ceratitis capitata*, 42, 261, 289
*Ceratocystis ulmi*, transmission by *Magdalis* spp., 238
*Ceratoma trifurcata*, 552
Ceratopogonidae, 719
Cercopidae, 556
Chalcidoidea, parasites reared from *Choristoneura pinus*, 267
*Chalcodermus aeneus*, insecticides against, 733
*Chaoborus astictopus*, 621
*Chelonus texanus*, 163
Chemical control of beet webworm, 248
Chemicals as fumigants against eggs and larvae of fruit fly, 262
Chemoreceptor responses, 492
Chick droppings, maggot development in, 847
Chlorbenside against: *Tetranychus telarius*, 275
Chlorbenzilate against: Hymenoptera and coccinellid parasites, 697
*Tetranychus telarius*, 275
Chlordane, specificity to DDVP, 638
Chlordane against: banded cucumber beetle, 771
beet webworm, 249
cowpea curculio, 735
*Cryptophlebia illepida*, 364
Douglas-fir cone midge, 237
*Drosophila melanogaster*, 726
European earwig, 29
holly leaf miner, 737
Hymenoptera and coccinellid parasites, 697
*Tetranychus telarius*, 275
wireworms, 9
Chloro- and methyl-phenyl *N*-methylcarbamates, multisubstituted, 862
*Chlorochlora sayi*, 461
Chlorthion, specificity to DDVP, 637
Chlorthion against: beet webworm, 248
green peach aphid, 35
Hymenoptera and coccinellid parasites, 697
*Choristoneura conflictana* in California, 593
*fumiferana*, 285, 430, 465, 574
*pinus*, 430
*pinus*, control of, 266
*Chorizagrotis auxiliaris*, 219
*Chrysocaris* sp., 688
*Chrysomphalus aonidum*, 603
*Chrysomya megacephala*, 11, 847
Cicadellidae, 556
Ciodrin (see also Shell SD 4294)
Ciodrin, specificity to DDVP, 637
Ciodrin against: flies, 24, 649, 889
sorghum midge, 457
*Circulifer tenellus*, 691, 865
Citrus, ethylene chlorobromide as fumigant, 394
Citrus red mite, response to chemical sterilants, 111
Cixiidae, 557
Clay granules, leaching of dieldrin from, 410
Clear Lake gnat, new control of, 621
*Closterocerus cinctipennis*, 619
Clover root curculio, flight of, 368
Coastal Bermudagrass, biology and insecticidal control of, 747
Coccinellid predators, residue toxicity to, 694
*Coccus hesperidum*, 116, 695
*Cochlicella*, ethylene oxide fumigants against, 836
*Cochliomyia hominivorax*, 272, 468, 474, 498, 506, 628, 798, 832
Cockroach, circadian rhythm recording, 76
Coconuts, red ring disease of, 375
Codling moth, gamma radiation on eggs, 660
mating and oviposition of, 140
resistance to DDT, 722
*Coleomegilla maculata*, 113
Coleoptera, 333
Collecting device, portable electrical, 708
*Comperiella bifasciata*, 116
*Conoderus falli*, 7, 292, 419
*lividus*, 8
*vespertinus*, 7, 292
*Conotrachelus nenuphar*, biological phenomena of, 810
*Contarinia juniperina*, 881
*oregonensis*, 236, 600
*sorghicola*, habits and control, 454
Co-ral, northern fowl mite tolerance to, 510
residue in cattle tissue, 759
specificity to DDVP, 637
Co-ral against: cattle grub, 102
Clear Lake gnat, 622
flies, 214, 345, 644, 650
mosquitoes, 644
northern fowl mite, 321
oriental rat flea, 391
southern corn rootworm, 16
Coreidae, 556
Corn, Japanese beetle damage to, 776
Corn earworm, amino acid content, 902
host plants of, 135
incubation period of eggs, 60
new insecticides against, 40
resistance of amino acid in corn silks, 902
Corn leaf aphid, resistance of barley to 113
Corn rootworm, resistance to insecticides, 118, 553
Corn silks, amino acid in, 902
*Cosmopepla bimaculata*, 558
Cotton, boll weevil: attractant from, 110
repellent from substance of, 894
resistance, 189, 449, 860
winter survival, 494
carbamate-induced systemic repellency to boll weevil on, 892
control of insects and mites on, 326
estimating losses by pink bollworm on, 158
*Heliothis* on, 235
methyl parathion residues applied to, 793
organophosphate influence on, 517
pink bollworm damage to lint and seed, 710
pink bollworm larvae on, 370
Cotton pests, control of: in Lower Rio Grande Valley, 902
late-season, 790
Cotton pests, insecticides against, 74
Cotton plants, chemotropic response of boll weevils to extracts of, 761
Cotton type, biology of boll weevil in relation to, 789
Cowpea curculio, insecticides against, 733
CP (see Monsanto CP)
Crag Fly Repellent (see also butoxy polypropylene glycol)
Crag Fly Repellent against: face fly, 25
*Cryptolaemus montrouzieri*, 695
*Cryptolestes pusillus*, 373
*Cryptophlebia illepida*, toxicity of insecticides to, 362
*Culex pipiens fasciatus*, 4
*pipiens quinquefasicatus*, 808, 834, 863
*tarsalis*, 123, 644
carboxyesterase in, 381
*Culicoides sanguisuga*, killing by treated screens, 719
Curculionidae, 333
Cyanide in pink bollworm traps, 901
Cyclamen mite on strawberry, 565
*Cyclocephala immaculata*, availability of dieldrin to, 781
larvae, obtaining and rearing, 538
Cynem (see also Zinophos)
Cynem against: corn earworm, 41
against: cyclamen mite, 569
against: wireworms, 9
*Cyrtepistomus castaneus*, 531

*Dacus cucurbitae*, 42, 289
*dorsalis*, 42, 261, 289
*Dahlbominus fuscipennis*, 620
Dairy farm fly control, 649
Dates, protection from Apache cicada, 875
DDT, absorption by pink bollworm, 641
disappearance from grapes, 431
in dusts for aircraft disinsectization, 869
loss on cattle, 615
pre-plant treatment against peach tree borer, 463
reference curves in codling moth, 722
DDT resistance in: *Aedes aegypti*, 511
codling moth, 722
*Heliothis virescens*, 571
DDT, specificity to DDVP, 638
whole-fly responses to, 492
DDT against: aphids, 35, 227, 542, 656, 845
banded cucumber beetle, 771
beet webworm, 249
boll weevil, 352, 587
bollworm, 442
codling moth, 663
corn earworm, 41
cotton insects, 902
cowpea curculio, 736
*Cryptophlebia illepida*, 365
*Drosophila melanogaster*, 726
*Empoasca kraemeri*, 418
European corn borer, 806

*Fannia canicularis*, 541
flies: 67, 80, 82, 231, 644
green rice leafhopper, 775
holly leaf miner, 737
*Hylemya* spp., 563
Hymenoptera and coccinellid parasites, 697
lepidopterous larvae, 877
*Lygus hesperus*, 421
mosquitoes, 644, 835
onion maggot, 584
against orchard mites, 440
pear pests, 343
pink bollworm, 158, 370, 388, 900
red-banded leaf roller, 88
rice stem borer, 803
*Rhagoletis*, 161
rose stem girdler, 676
sorghum webworm, 483
*Tetranychus telarius*, 275
tomato insects, 815
*Typhlodromus fallacis*, 274
western bean cutworm, 222
DDVP, resin cylinders against spider mites, 419
specific bioassay of, 635
DDVP against: flies, 25, 254, 260, 530, 561, 650
*Gasterophilus* larvae, 51
*Hippelates*, 49
*locusts*, 850
northern fowl mite, 321
oriental rat flea, 391
wireworms, 9
Deet against *Hippelates*, 755
Delnav, specificity to DDVP, 637
Delnav against: Clear Lake gnat, 622
cowpea curculio, 734
flies, 256, 718
Hymenoptera and coccinellid parasites, 697
lice on goats and sheep, 658
Delphacidae, 557
Demeton, specificity to DDVP, 637
Demeton against: aphids, 228, 535, 845
boll weevil, 192
holly leaf miner, 737
Hymenoptera and coccinellid parasites, 697
lepidopterous larvae, 877
rose stem girdler, 676
*Tetranychus telarius*, 275
*Trichogramma semifumatum*, 348
*Dendroctonus* bark beetles, toxicity of pine resin vapors to, 827
*Dendroctonus brevicomis*, 827
*jeffreyi*, 827
*monticolae*, 827
*terebrans*, attack by on *Pinus elliottii*, 817
Desert grasshopper, life history of, 525
*Diabrotica balteata*, 770
*longicornis*, 118, 553, 709, 894
*undecimpunctata howardi*, 8, 15, 117, 552, 687, 709
*virgifera*, 553, 709
*Diaeretiella rapae*, 845
Diatomaceous earth, wheat seed protection with, 372
*Diatraea saccharalis*, 407
Diazinon, disappearance from grapes, 431
German cockroach resistance to, 447
residues in cattle fat, 858
specificity to DDVP, 637
tolerance of cattle to sprays, 592
Diazinon against: aphids, 35, 227, 535, 656, 845
aquatic wildlife, 185
banded cucumber beetle, 771
beet webworm, 250
brown dog tick, 415
corn earworm, 41
*Drosophila melanogaster*, 726
*Empoasca kraemeri*, 418
eye-spotted bud moth, 787
*Gasterophilus* larvae, 50
green rice leafhopper, 775
*Hippelates*, 49
holly leaf miner, 737
house flies, 561, 644
*Hylemya* spp., 563
Hymenoptera and coccinellid parasites, 697
lepidopterous larvae, 877
lice on goats and sheep, 659
locusts, 852
mosquitoes, 644
northern fowl mite, 321
onion maggot, 581
red-banded leaf roller, 86
*Rhagoletis*, 161
rice stem borer, 803
sorghum midge, 457
southern corn rootworm, 16
spittlebug, 751
*Tetranychus telarius*, 275
tomato pests, 156, 815
wireworms, 9
*Dibrachoides druso*, 611
*Dibrachys cavus*, 731
Dibrom (see also under naled)
Dirbom, northern fowl mite tolerance to, 510
Dibrom against: corn earworm, 41
green peach aphid, 35
*Hippelates*, 49
oriental rat flea, 391
sorghum midge, 458
Dibutyl phthalate against *Hippelates*, 755
Dicapthon against: Clear Lake gnat, 622
*Drosophila melanogaster*, 726
*Hippelates*, 49
*Diceroprocta apache*, 875
Dictyopharidae, 557
Dieldrin, availability in soils, 781
inhibition of conversion of aldrin to, 485
leaching of from granules, 410
pre-plant treatment against peach tree borer, 463
specificity to DDVP, 638
Dieldrin against alfalfa seed chalcid, 542
beet webworm, 250
cotton insects, 902
cowpea curculio, 735
*Cryptophlebia illepida*, 365
*Drosophila melanogaster*, 726
European earwig, 29
house fly, 67, 644
Hymenoptera and coccinellid parasites, 697
*Lygus hesperus*, 421
mosquitoes, 644
onion maggot, 581
orchard mites, 440
peach tree borer, 271
pear pests, 344
plum curculio, 812
rose stem borer, 676
*Tetranychus telarius*, 275
Differential grasshopper, food-plant tests, 396
Dilan against: Hymenoptera and coccinellid parasites, 697
lepidopterous larvae, 877
lice on goats and sheep, 658
Dimethoate, absence of residues in milk, 119
chronic toxicity to hens, 10
mammalian toxicity from, 312
northern fowl mite tolerance to, 510
physiology of, in bollworm and boll weevil, 129
properties of, 477
specificity to DDVP, 637
Dimethoate against: alfalfa seed chalcid, 542
aphids, 35, 227, 341, 535, 846
banded cucumber beetle, 772
boll weevil, 587
broccoli pests, 766
corn earworm, 41
cotton insects and mites, 327
cowpea curculio, 734
cyclamen mite, 569
Douglas-fir cone midge, 237
*Empoasca kraemeri*, 418
flies, 80, 254, 560, 650
*Hippelates*, 49
holly leaf miner, 737
Hymenoptera and coccinellid parasites, 697
*Lygus hesperus*, 421
oriental rat flea, 391
rose stem girdler, 676
sorghum pests, 457, 483
southern corn rootworm, 16
*Tetranychus telarius*, 275
vegetable insects, 687
Dimethyl carbate against *Hippelates*, 755
Dimethyl phthalate against *Hippelates*, 755
Dimetilan against: cowpea curculio, 734
*Empoasca kraemeri*, 418
face fly, 25
Dimite against two spotted spider mites, 225
Diphenyl sulfide against: periodical cicada emergence, 540
*Diprion similis*, 430
sex attractant from, 18
Diptera, 719, 736
parasites reared from *Choristoneura pinus*, 267
Dipterex, specificity to DDVP, 637
Dipterex against: cattle grubs, 632
Clear Lake gnat, 622
*Gasterophilus* larvae, 50
green peach aphid, 35
flies, 67, 346, 644
mosquitoes, 644
rice stem borer, 803
southern cowpea weevil, 590
Di-Syston, influence on cotton, 519
specificity to DDVP, 637
Di-Syston against: aphids, 95, 227, 341, 680
cotton insects and mites, 327
cyclamen mite, 569
holly leaf miner, 737
sorghum webworm, 483
vegetable insects, 687
Di-Syston R against: boll weevil, 192
DN-111 against: Hymenoptera and coccinellid parasites, 697
Dodine against European red mite, 299
Dogwood flea-beetle, parasitism of, 537
*Doratura stylata*, 558
Douglas-fir cone midge, Guthion against, 600
insecticides against, 236
*Draeculacephala mollipes*, 558
*Drosophila*, fluroescent stains as markers for, 890
traps for in tomato fields, 897
*Drosophila melanogaster*, 117, 636, 890
attractiveness of insecticide baits to, 725
effects of gamma radiation on, 739, 819
gamma radiation against, 279
Dry milk industry, *Trogoderma* pest of, 109
Duster, vacuum, 899

Dusts for aircraft disinsectization, 869
Dylox, residues on vegetables, 532
Dylox against: beet webworm, 248
corn earworm, 41
cowpea curculio, 734
Douglas-fir cone midge, 237
European corn borer, 806
holly leaf miner, 737
Hymenoptera and coccinellid parasites, 697
lygus bugs, 533
oriental rat flea, 391
*Trichogramma semifumatum*, 348
*Dyspessa ulula*, 839

Ear mite in dogs, 892
*Elymana virescens*, 558
*Empoasca fabae*, 551, 895
*kraemeri*, control of on beans, 417
*Empusa muscae*, 565
EN 18133 against onion maggot, 580
*Endasys subclavatus*, 619
Endosulfan (see also Thiodan)
Endosulfan, in bean plants, 596
pre-plant treatment against peach tree borer, 463
specificity to DDVP, 638
Endosulfan against: alfalfa seed chalcid, 542
aphids, 535, 846
banded cucumber beetle, 771
beet webworm, 250
caterpillars on tomato, 157
cowpea curculio, 736
cyclamen mite, 569
Douglas-fir cone midge, 237
*Empoasca kraemeri*, 418
Hymenoptera and coccinellid parasites, 697
lepidopterous larvae, 877
*Lygus hesperus*, 421
mites, 440, 664
peach tree borer, 271
rose stem borer, 676
sorghum webworm, 483
southern corn rootworm, 16
spittlebug, 751
*Tetranychus telarius*, 275
western bean cutworm, 222
Endothion against: alfalfa seed chalcid, 542
cyclamen mite, 569
*Empoasca kraemeri*, 418
*Endria inimica*, 559
Endrin, specificity to DDVP, 638
Endrin against: alfalfa seed chalcid, 542
aphids: 36, 535
banded cucumber beetle, 772
beet webworm, 250
boll weevil, 587, 791
bollworm, 444, 791
cabbage loopers, 792
cyclamen mite, 569
eye-spotted bud moth, 787
*Heliothis virescens*, 572
Hymenoptera and coccinellid parasites, 697
onion maggot, 581
peach tree borer, 271
pear pests, 344
red-banded leaf roller, 87
rice stem borer, 803
rose stem borer, 676
sorghum midge, 457
*Tetranychus telarius*, 275
*Eotetranychus carpini borealis*, 299
*Ephialtes ontario*, 267
*Epilachna varivestis*, 551
*Epitrix hirtipennis*, 687
*parvula*, 687
EPN, disappearance from grapes, 438
specificity to DDVP, 637
EPN against: banded cucumber beetle, 772
Clear Lake gnat, 622
European corn borer, 806
pink bollworm, 900
*Tetranychus telarius*, 275
EPN-300 against red-banded leaf roller, 87
Eradex against: cyclamen mite, 569
*Tetranychus telarius*, 275
two-spotted spider mites, 225
*Eriophora edax*, 284
*Eriophyes pyri*, 664
*Errastunus ocellaris*, 558
Errata, 505, 559
*Estigmene acrea*, 348, 863
Ethion, disappearance from grapes, 431
specificity to DDVP, 637
Ethion against: beet webworm, 249
cabbage aphid, 845
corn earworm, 41
cowpea curculio, 734
eye-spotted bud moth, 787
Hymenoptera and coccinellid parasites, 697
lepidopterous larvae, 877
lice on goats and sheep, 658
onion maggot, 581
*Tetranychus telarius*, 275
Ethyl carbophenothion against: Clear Lake gnat, 622
Ethyl Guthion against: aquatic wildlife, 185
boll weevil and bollworm, 791
desert spider mite, 792
Ethyl hexanediol against *Hippelates*, 755
Ethyl parathion against Clear Lake gnat, 622
Ethylene chlorobromide, against Mexican fruit fly, 394
dibromide against fruit fly in papapyas, 289
fumigants, 836, 906
*Euceros* sp., 620
Eucosmidae, 362
*Euderus argyresthiae*, 731
*Eulaema tropica*, attractants for, 540
Eulophidae, 731
European corn borer, *Bacillus* and insecticides against, 804
biological observations on, 741
sweet corn damage by, 243
X-ray exposure on, 522
European earwig, insecticides against, 29
fruit lecanium, susceptibility to oil, 175
red mite, fungicides against, 298
*Eurygaster integriceps* eggs, water and food relationships, 666
*Eurytoma* sp., 731
Eurytomidae, 541, 731
*Euschistus variolarius*, 558
*Eustala fuscovittata*, 284
*Eutetranychus banksi*, 548
*Exenterus canadensis*, 619
Eye gnats, ecological suppression of, 768
repellents for, 753
Eye-spotted bud moth, bionomics of, 903
biotic control factors of, 730
control of on sour cherry, 786
pupation sites of, 689

Face fly, Ciodrin against, 24
control of with Co-Ral, 214
in Missouri, 251
Fall armyworm, resistance of sweet corn to, 162
Famophos against: cattle grub, 102, 632
flies, 25, 346
*Gasterophilus* larvae, 50
*Fannia canicularis*, 842
control of, 541
rearing and isotopic labeling of, 69
*Fannia pusio*, 11, 847
*Fannia* sp., 842
Ferbam against: Hymenoptera and coccinellid parasites, 697
red-banded leaf roller, 87
*Filatima sperryi*, 461
Flight chamber, a modified, 117
Florida red scale, *Aphytis holoxanthus* parasite of, 603
Fluorescent stains as markers for *Drosophila*, 890
Fly: control for dairy farms, 649
populations in dairy barns, 842
Folpet against: *Tetranychus telarius*, 275
Forage crop species, insecticide disappearance of on, 98
Forest-insect pests, nematode control of, 427
*Forficula auricularia*, insecticides against, 29
*Frankliniella occidentalis*, 460, 687, 814, 823
spp., 900
Fruit fly, ethylene dibromide against 289
gamma radiation against, 42
*Fusarium* sp., 732

G-27365 against: aquatic wildlife, 185
*Hippelates*, 49
G-28029 against: aquatic wildlife, 185
*Hippelates*, 49
G-29029 against: *Hippelates*, 49
G-30493 against: aquatic wildlife, 185
*Hippelates*, 49
lice on goats and sheep, 658
G-30494 against: aquatic wildlife, 185
cowpea curculio, 734
*Hippelates*, 49
southern corn rootworm, 17
*Galleria mellonella*, 427, 543
Gamma radiation, response of *Aedes* to, 416
Gamma radiation against: fruit fly species, 42
Gamma radiation effects on: codling moth eggs, 660
*Drosophila*, 279, 739, 819
screw-worm, 628
*Ganaspidium pusillae*, 688
Garlic bulbs, tolerance to methyl bromide, 839
Gas chromatography, studies of endosulfan, 596
*Gasteracantha cancriformis*, 284
*Gastrophilus*, larvae in horses, insecticides against, 50
*Gasterophilus intestinalis*, 50
*nasalis*, 50
GC-3582 against aquatic wildlife, 185
GC 3583 against: cotton pests, 74
*Hippelates*, 49
GC 3707 against: broccoli pests, 766
cowpea curculio, 734
*Empoasca kraemeri*, 418
lepidopterous larvae, 877
GC 4072, evaluation of, 832
GC 4072 against: broccoli pests, 766
cattle grubs, 632
Gen. Chem. 4072 against: cotton pests, 74
cowpea curculio, 734
flies: 25, 81, 346
*Hippelates*, 49
lepidopterous larvae, 877
lice on goats and sheep, 659
oriental rat flea, 391
southern corn rootworm, 17

wireworms, 9
*Gelis* sp., 731
General Chemical (see under GC)
Genite against: Hymenoptera and coccinellid parasites, 697
*Tetranychus telarius*, 275
*Geocoris* spp., 350
German cockroach, resistance to malathion, 447
*Glischrochilus quadrisignatus*, biology and control of, 681
Glyodin against European red mite, 299
*Glypta fumiferanae*, 267, 596
*Glytholaspis confusa*, 317
*Gnorimoschema operculella*, 814
Goats, lice control on, 658
Grace CPE, evaluation of, 831
Grain, cooling by transfer, 215
Gramineae, 555
Grapefruit, fumigation against Mexican fruit fly, 496
responses to spray oil fractions, 547
Grapes, *Brachyrhinus sulcatus* on, 677
control of red-banded leaf roller on, 86
disappearance of spray deposits from, 431
*Grapholitha molesta*, 885
effect of storage on, 167
Grasses, Hemiptera and Homoptera infesting, 555
Grasshopper nymphs, food-plant preferences, 397
Greater wax moth, development on bumble bee cells, 543
Greenbug, temperature effect on fecundity of, 109
Green peach aphid control on: peppers, 340
tobacco, 34
Green peach aphid, relationship of watermelon mosaic virus to, 200
susceptibility to insecticides, 655
unsuitable plant hosts, 307
Green rice leafhopper control, 773
Greenhouse pests, DDVP resin cylinders against, 419
Greens, parathion residue in, 169
Guthion, reference curves in codling moth, 722
specificity to DDVP, 637
Guthion against: alfalfa seed chalcid, 542
aphids, 36, 341, 535
aquatic wildlife, 185
beet webworm, 248
boll weevil, 353, 587, 791
bollworm, 791
caterpillars on tomato, 156
codling moth, 663
cowpea curculio, 734
desert spider mite, 792
Douglas-fir cone midge, 237, 600
*Empoasca kraemeri*, 418
eye-spotted bud moth, 787
*Heliothis virescens*, 572
holly leaf miner, 737
Hymenoptera and coccinellid parasites, 697
orchard mites, 440
oriental fruit moth, 168
pink bollworm larvae, 370
plum curculio, 812
red-banded leaf roller, 86
*Rhagoletis*, 161
rose stem girdler, 676
sorghum webworm, 483
southern corn rootworm, 16
*Tetranychus telarius*, 275

*Habrocytus phycidis*, 731
*Haematobia irritans*, 82, 119, 230, 258, 345, 501, 614, 649, 699, 718, 834
*Haematopinus eurysternus*, 347
Halictidae, 905
*Halticoptera aenae*, 814
*Haplothrips faurei*, 731
Harlequin bug, biology of, 108
Helicopter application of Guthion, 600
*Heliothis*, seasonal abundance on cotton, 235
*grandis*, 791
*virescens*, 135, 235
resistance to DDT, 571
*Heliothis zea*, 40, 60, 74, 119, 129, 135, 155, 166, 235, 348, 551, 571, 745, 814, 902
resistance to insecticides, 442
Hemiptera, infesting grasses, 555
Hens, toxicity of dimethoate to, 10
Heptachlor, emergence of wheat plants from seed treated with, 32
residues in beef fat, 71
specificity to DDVP, 638
Heptachlor against; alfalfa weevil, 239
beet webworm, 250
boll weevil, 587
corn earworm, 41
cowpea curculio, 735
*Cryptophlebia illepida*, 365
Douglas fir cone midge, 237
*Drosophila melanogaster*, 726
European earwig, 29
forage crop pests, 99
holly leaf miner, 737
Hymenoptera and coccinellid parasites, 697
onion maggot, 581
rose stem borer, 676
southern corn rootworm, 16
*Tetranychus telarius*, 275
wireworms, 9
Heptachlor epoxide, specificity to DDVP, 638
Hercules 2032 against boll weevil, 192
Hercules 3004 against boll weevil, 192
Hercules 3273 against boll weevil, 192
Hercules 5727 against cowpea curculio, 734
Hercules 7522-H, evaluation of, 831
Hessian fly larvae, feeding habits of, 702
*HETP* against two-spotted spider mite, 224
*Hippelates*, effect of organic content in rearing, 127
*bishoppi*, 128
*collusor*, 695, 754, 768
new insecticides against, 47
*Hippelates pusio*, 127
new insecticides against, 47
*Hippelates* eye gnats, ecological suppression of, 768
repellents for, 753
*Hippodamia convergens*, 113, 117, 330, 695
*glacialis*, 113
*quinquesignata*, 695
sp., 845
Holly leaf miner, control of, 736
Homoptera, infesting grasses, 555
Hooker (see under HRS)
Hookers Carbamate against holly leaf miner, 737
Horn fly: pour-on treatments of DDT or toxaphene, 82
resistance to ronnel, 718
toxicity: additives of pyrethrins to, 699
from manure, 344
Horn fly, control: by ronnel, 500
on beef cattle, 230
studies, 258
Horse fly control and anaplasmosis, 578
Horses, insecticides against *Gasterophilus* in, 50
House fly, apholate against, 445
compounds affecting fertility, 476
effect of Macrochelidae, 317
fluoracetate resistant strain of, 67
inbreeding rearing, 714
resistance of to allethrin, 152
screening chemosterilants of, 506
synergism of malathion against, 643
toxicity to from manure, 344
House fly control with: chemosterilants, 150
organophosphorus compounds, 79
HRS-16 (see also Pentac)
HRS-16 against two-spotted spider mite, 226
HRS 1296 against *Empoasca kraemeri*, 418
*Hybomitra lasiophthalma*, 579
Hydrocarbon insecticides, resistance in bollworm, 442
Hydrocyanic acid, fumigating grain sorghum and Sudan grass with, 144
*Hylemya antiqua*, resistance to insecticides, 580
*ciliicrura*, 552, 564
*liturata*, 564
spp., susceptibility to Aldrin, DDT, and Diazinon, 563
*Hylobius radicis*, 429
*Hymenia recurralis*, 112
Hymenoptera, 541
predation by parasitic, 116
Hymenoptera parasites: reared from *Choristoneura pinus*, 267
residue toxicity to, 694
*Hypera postica*, 193, 239, 241, 489, 609
hymenopterous parasites of, 533
*Hypoderma bovis*, 101, 717, 831
*lineatum*, 101, 501, 632, 717, 831
spp., 632, 872
*Hysteroneura setariae*, 865

*Icerya purchasi*, 695
Ichneumonidae, 731
parasites reared from *Choristoneura pinus*, 267
Imidan (see also Stauffer R-1504)
Imidan, in chick rations, 848
Imidan against: cowpea curculio, 734
*Empoasca kraemeri*, 418
strawberry aphid, 535
Imidazole, a pesticide, 1
Imported fire ant toxic bait, 62
Imutex, 1
Indalone against *Hippelates*, 755
Infrared irradiation, effects on rice insects, 727
Insect vectors of plant viruses, seasonal flights of, 865
Insecticide deposits, loss on cattle, 614
Introduced pine sawfly, sex attractant from, 18
*Iridomyrmex humilis*, 116
Isodrin specificity to DDVP, 638
Isolan, specificity to DDVP, 638
Isolan against: cowpea curculio, 734
*Empoasca kraemeri*, 418
house flies, 644
lepidopterous larvae, 877
mosquitoes, 644
Isoparaffins, ovicidal effectiveness of synthetic, 885
Issidae, 557
*Itoplectis conquisitor*, 267, 731

Jack-pine budworm, control of, 266
Japanese beetle damage to soybeans and corn, 776
Juniper tip midge, control of, 880

Karathane against Hymenoptera and coccinellid parasites, 697
*Keiferia lycopersicella*, 155, 814

Kelthane against: cyclamen mite, 569
house fly, 318
Hymenoptera and coccinelid parasites, 697
pear pests, 344
*Tetranychus telarius*, 275
Texas citrus mites, 548
Kepone against: banded cucumber beetle, 771
cowpea curculio, 734
*Empoasca kraemeri*, 418
European corn borer, 806
southern corn rootworm, 16
western harvester ant, 295
Kik against *Hippelates*, 755

*Lamachus* spp., 620
*Laphygma frugiperda*, 745, 748
resistance of sweet corn to, 162
Large aspen tortrix in California, 593
*Lasioglossum* (*Choralictus*) *versatum*, 905
*Latalus sayi*, 559
Lead arsenate, inert ingredients in, 626
Lead arsenate against apple maggot, 160
Leafhopper, *Empoasca kraemeri*, control of on beans, 417
*Lecanium corni*, susceptibility to oil, 175
Lepidoptera, 362, 593
*Lepidosaphes beckii*, 603
*Leptinotarsa decimlineata*, 227
*Leptomastix dactylopii*, 695
*Leptopterna dolabrata*, 557
*Leptothrips mali*, 299
*Lepyronia coleoptrata*, 558
Lethane 384 against: face fly, 25
*Leucophaea maderae*, 77
Lice on goats and sheep, insecticide control of, 658
Lily, control of aphids on, 680
Lima beans, potato leafhopper damage to, 551
*Linaria canadensis texana*, 135
Lindane, specificity to DDVP, 638
Lindane against: banded cucumber beetle, 771
cowpea curculio, 736
*Cryptophlebia illepida*, 365
*Drosophila melanogaster*, 726
green peach aphid, 656
holly leaf miner, 737
house fly, 67
Hymenoptera and coccinellid parasites, 697
*Tetranychus telarius*, 275
wireworms, 9
*Lindorus lophanthae*, 695
*Linognathus stenopsis*, 658
*Liriomyza munda*, 687
*pictella*, 328
spp., 814
*Lissorhoptrus oryzophilus*, 826, 893
Livestock, toxicity of carbophenothion and Methyl Trithion in, 757
Locusts, DDVP sprays against, 850
*Loxagrotis albicosta*, 222
*Loxostege sticticalis*, 248
Lygaeidae, 556
Lygus bugs, effect on tomatoes, 532
relationship to strawberry deformity, 823
*Lygus hesperus*, 823
on magnolia, 420
*Lygus lineolaris*, 532, 551, 557
*Lypha setifacies*, 268

Macadamia nut, *Cryptophlebia* pest of, 362
*Macrocentrus* near *koebelei*, 283
*Macrocheles glaber*, 317
*matrius*, 317
*medarius*, 317
*muscaedomesticae*, 317
*robustulus*, 317
*subbadius*, 317
Macrochelidae, effect on house fly production, 317
*Macrosiphum euphorbiae*, 228, 680, 814
*pisi*, 53, 95, 105, 206, 348, 414
*Macrosteles fascifrons*, 559
*Magdalis* spp., transmitting *Ceratocystis ulmi*, 238
Maggot development in chick droppings, 847
*Magicicada septendecim*, 540
Magnolia, *Lygus hesperus* against, 421
*Malacosoma* sp., 460
Malaoxon against: house flies, 644
mosquitoes, 644
Malathion, German cockroach resistance to, 447
mammalian toxicity from, 312
specificity to DDVP, 637
synergism against house flies and mosquitoes, 643
tolerance of northern fowl mite to, 509
Malathion against: alfalfa weevil, 239
beet webworm, 249
biting midges, 719
boll weevil, 587
broccoli pests, 766
brown dog tick, 415
corn earworm, 41
*Cryptophlebia illepida*, 365
*Drosophila melanogaster*, 726
*Empoasca kraemeri*, 418
eye-spotted bud moth, 787
*Fannia canicularis*, 541
green peach aphid, 36, 656
green rice leafhopper, 775
*Hippelates*, 49
holly leaf miner, 737
house fly, 67, 561, 644
Hymenoptera and coccinellid parasites, 697
lepidopterous larvae, 877
lice on goats and sheep, 659
*Lygus hesperus*, 421
mosquitoes, 644, 835
northern fowl mite, 321
potato aphid, 227
red-banded leaf roller, 87
rice stem borer 803
sorghum midge, 458
southern cowpea weevil, 590
*Tetranychus telarius*, 275
tomato insects, 816
two-spotted spider mites, 224
wireworms, 9
Malathion-resistant *Culex tarsalis*, 381
Mammalian toxicity of organophosphorus insecticides, 310
Maneb against: green peach aphid, 36
*Tetranychus telarius*, 275
Mango, ethylene chlorobromide as fumigant, 394
fumigation against Mexican fruit fly, 496
Manure, house fly production from, 317
toxicity to house flies and horn flies, 344
*Marasmia poeyalis*, 112
*trapezalis*, 112
*venilialis*, 112
*Mastrus* sp., 619
MEB-325 against: face fly, 25
Mediterranean fruit fly eggs and larvae, fumigants for toxicity to, 261
*Megachile* (*Litomegachile*) *mendica*, 905
Megachilidae, 905
*Megaloceraea recticornis*, 558
*Megastigmus spermotrophus*, 601
*Melanoplus differentialis*, 396
*Melipona* spp., 905
Membracidae, 556
Menazon (see also P. P. 175)
Menazon against: aphids, 341, 535
cyclamen mite, 569
Mesostigmata, 317
*Metaphycus helvolus*, 116, 695
*luteolus*, 116, 695
Meta-Systox-R, in chick rations, 848
Meta-Systox-R against: green peach aphid, 341
*Tetranychus*, 182
*Meteorus laphygmae*, 283
Methods and Procedures: *Aedes aegypti* eggs, ultrasonic waves on, 668
aldrin and heptachlor-treated seeds, wheat plants from, 32
aldrin conversion to dieldrin, 485
aldrin resistance in northern corn rootworm, 894
alfalfa resistance to aphids, 53, 84
alfalfa weevil control by heptachlor and malathion, 239
alfalfa weevil mortality by heptachlor and malathion, 239
alkyl 2,4,5-trichlorophenyl *N*-alkylphosphoramidates, activity of, 808
*Anopheles stephensi* tagging, 673
antibiotics against aphids, 413
anticholinesterases in blood and cattle grubs from ronnel-treated cattle, 872
aphid control on lily, 680
*Aphytis* as parasite of Florida red scale, 603
army cutworm longevity and fecundity, 219
baits, attractiveness of insecticide to *Drosophila*, 725
banana insect pest enemies, 282
Banded cucumber beetle control, 771
binapacryl, resistance induction in *Tetranychus*, 721
bioassay technique, 636
bitterbrush, insects destructive to, 460
boll weevil arrestant and feeding stimulant, 449
boll weevil biology in relation to cotton type, 789
boll weevil chemotropic response, 762
boll weevil in insecticide-treated fields, 351
boll weevil larva nutrition, 357
boll weevil reproductive potential, 180
bollworm resistance to insecticides, 442
*Brachyrhinus* on grapes, 677
broccoli pests, insecticides against, 766
cabbage aphid, toxicity of insecticides, to, 845
California red scale susceptibility to parathion, 884
*Callosobruchus* on beans, 589
carbamate-induced repellency to boll weevil, 892
carbophenothion and Methyl Trithion toxicity in livestock, 757
caterpillar control on tomato, 156
cattle, insecticide deposit losses on, 614
cattle grub control, 102, 717
chemical control of beet webworm, 248
chemoreceptor and whole-fly responses, 492
Ciodrin against face fly, 25
Clear Lake gnat control, 621
cockroach rhythm recording, 77
codling moth mating and oviposition, 140
Co-Ral residues in cattle tissues, 759
corn earworm, amino acid in corn silks re-resistance to, 902
corn earworm egg incubation, 60
corn earworm host plant assessments, 135

corn rootworm resistance, 553
cotton, organophosphate influence on, 518
cotton insect control in Lower Rio Grande Valley, 902
cotton insects and mites, 327
cotton pests, insecticides against, 74
cotton resistance to boll weevil, 189, 860
cowpea curculio control, 733
*Cryptophlebia* pest of macadamia nut, 362
cyclamen mite on strawberry, 568
DDT against pink bollworm, 389, 641
DDT resistance in *Aedes*, 512
DDT resistance in *Heliothis*, 572
diazinon, tolerance of cattle to, 592
die'drin availability in soils, 781
dieldrin leaching from granules, 410
dimethoate physiology in bollworm and boll weevil, 129
dimethoate properties, 477
dimethoate toxicity to hens, 10
*Diprion similis*, sex attractant from, 18
Douglas-fir cone midge control, 236
dusts for aircraft disinsectization, 869
Dylox residues on vegetables, 532
*Empoasca* control on beans, 418
endosulfan against pear leaf blister mite, 664
endosulfan in bean plants, 596
ethylene dibromide against fruit fly, 289
ethylene oxide fumigants against *Cochlicella* or *Theba*, 836
European corn borer, X-ray exposure on, 522
European corn borer control, 805
European corn borer damage to sweet corn, 243
European earwig, insecticides against, 30
*Eurygaster*, water and food relationships, 666
eye-spotted bud moth control, 786
eye-spotted bud moth pupation sites, 689
*Fannia canicularis*, rearing and isotopic labeling of, 69
fly control on dairy farms, 650
forage crop species, insecticide disappearance on, 99
fumigants for toxicity to eggs and larvae of fruit fly, 261
fumigating seeds of grain sorghum and Sudan grass, 144
gamma radiation aeration, 629
gamma radiation on codling moth eggs, 661
gamma radiation on *Drosophila*, 279, 739, 820
gamma radiation on fruit fly, 42
garlic tolerance to methyl bromide, 839
*Gasterophilus* larvae control, 50
German cockroach resistance to malathion and diazinon, 447
*Glischrochilus* biology and control, 682
grain cooling by transfer, 216
grapefruit tree responses to spray oil fractions, 548
grapes, disappearance of spray deposits from, 432
*Grapholitha* storage, 167
Grasses infested by Hemiptera and Homoptera, 555
green peach aphid control, 35, 341, 656
green rice leafhopper control, 775
harlequin bug biology, 108
helicopter application of Guthion, 600
heptachlor residues in beef fat, 72
Hessian fly larvae feeding habits, 703
*Hippelates*, insecticides against, 47
*Hippelates* eye gnats repellents, 753
holly leaf miner control, 737
horn fly control, 230, 259
horse fly control and anaplasmosis, 578
house fly control with organophosphorus compounds, 80
house fly fluoroacetate resistant strain of, 67
house fly resistance to allethrins, 152
*Hylemya* spp. susceptibility to insecticides, 563
infrared irradiation on rice insects, 727
insect vectors of plant viruses, flights of, 865
jack-pine budworm control, 266
*Laphygma* resistance by sweet corn, 162
lead arsenate against *Rhagoletis*, 160
lead arsenate sprays, ingredients in, 626
*Lecanium* susceptibility to oil, 176
lepidopterous larvae control on cabbage and cauliflower, 877
light trap efficiency, 123
*Lygus hesperus* on magnolia, 421
Macrochelidae effect on house fly, 317
*Magdalis* spp. transmitted by *Ceratocystis*, 238
maggot development in chick droppings, 847
malathion synergism, 644
mammalian toxicity of insecticides 310
mango and grapefruit fumigation, 497
manure toxicity to house flies and horn flies, 345
methyl parathion residues applied to cotton, 794
mosquitoes, nocturnal prevalence of nocturnal, 671
multisubstituted chloro- and methylphenyl *N*-methylcarbamates, 862
*Musca domestica*, organophosphorus compounds against, 560
*Myzus persicae*, unsuitable plant hosts for, 307
Nantucket pine tip moth response to attractants, 715
nitrofurans against stored-grain insects, 404
northern fowl mite control, 321
northern fowl mite tolerance to malathion, 510
oil-sensitive cards and spruce budworm mortality, 466
onion maggot resistance to insecticides, 580
oriental rat flea, insecticides against, 391
palm weevil as vector, 375
parasites and predators, toxicity of residues to, 695
parathion residues in greens, 170
pea aphid spatial pattern in alfalfa fields, 105
pea resistance to pea aphid, 207
peach tree borer control by pre-plant treatment, 463
petroleum oil and synthetic isoparaffine, ovicidal effectiveness of, 886
phosphine as a fumigant for rice, 706
*Phytoseiulus*, pesticide tolerance and predator efficiency of, 274
pine resin vapor toxicity to *Dendroctonus*, 827
pink bollworm damage to cotton lint and seed, 710
pink bollworm larvae on cotton, 370
pink bollworm losses, controlling and estimating, 158
pink bollworm winter carryover, 172
plum curculio, biological phenomena of, 811
potato aphid control, 227
red-banded leaf roller control on grapes, 86
*Reticulitermes flavipes* response, 301, 302
rice stink bug damage to rice, 198
rice water weevil, determination of varietal reaction to, 893
rice water weevil, effect of nitrogen levels on, 826
ronnel against cattle grubs and horn flies, 501
ronnel application to cattle and sheep, 272
screw-worm fly, in relation to water sources, 798
screw-worm fly, nocturnal resting places, 499
screw-worm fly, sexual sterility in, 468
Screw-worm larvae desiccation, 474
Sevin against stored-grain insects, 420
Sevin residues in milk, 402
sheep bot fly control with DDVP, 530
sorghum midge, habits and control, 455
sorghum webworm, insecticides against, 483
southern corn rootworm in peanuts, insecticides against, 16
southern potato wireworm against tobacco, 292
southern potato wireworm resistance, 419
*Spilonota*, biotic control factors on apple, 731
spruce budworm egg mass site, 575
strawberries, relationship of lygus bug and thrips to deformity of, 823
strawberry aphid control with chemicals, 535
sugar beet seed virus diseases, 691
sweetclover weevil control by plowing, 716
*Tetranychus* resistance to organophosphates, 182
Thysanoptera from foliage, 612
tobacco budworm host plant assessments, 135
topical application with moths, 722
*Trogoderma* food preference studies, 109
two-spotted spider mite fecundity, 504
*Typhlodromus*, pesticide tolerance and predator efficiency of, 274
vegetable insect control, 687
Virginia pine sawfly parasites, 618
watermelon mosaic virus and *Myzus*, relationships, 200
western bean cutworm control, 222
western harvester ant control, 295
wheat seed protection, 372
whole-fly responses, 492
wildlife, insecticides against, 184
wireworm distribution and control, 8
youden square for evaluation of insecticides, 587
Methoxychlor, disappearance from grapes, 431
specificity to DDVP, 638
Methoxychlor against: banded cucumber beetle, 771
caterpillars on tomato, 156
*Drosophila melanogaster*, 726
*Empoasca kraemeri*, 418
flies, 67, 231, 254
forage crop pests, 99
Hymenoptera and coccinellid parasites, 697
lice on goats and sheep, 659
red-banded leaf roller, 88
sorghum midge, 458
*Tetranychus telarius*, 275
*Trichogramma semifumatum*, 348
*Typhlodromus fallacis*, 274

Methyl bromide, fumigating grain sorghum and Sudan grass with, 144
tolerance of garlic bulbs to, 839
Methyl carbophenothion against: Clear Lake gnat, 622
Methyl demeton against: holly leaf miner, 737
strawberry aphid, 535
vegetable insects, 687
Methyl-ethyl Guthion against: cowpea curculio, 734
Methyl parathion, residues applied to cotton, 793
specificity to DDVP, 637
Methyl parathion against: aquatic wildlife, 185
beet webworm, 250
boll weevil, 352, 587
Clear Lake gnat, 622
cotton insects, 903
forage crop pests, 99
*Heliothis virescens*, 572
rice stem borer, 803
Methyl paraoxon, specificity to DDVP, 637
toxicity in livestock, 757
Methyl Trithion, in chick rations, 848
Methyl Trithion against: boll weevil, 352, 587
cowpea curculio, 734
cyclamen mite, 569
*Hippelates*, 49
lice on goats and sheep, 658
Mexican fruit fly, fumigation against in mangoes and grapefruit, 496
Mexican fruit fly against: citrus, 394
mango, 394
MGK-264 against flies, 699
MGK Repellents against Hippelates, 755
*Microcerotermes edentatus*, 300
*Microctonus aethiops*, 609
sp., 538
*Microlarinus lareynii*, ecology and host specificity of, 333
*lypriformis*, ecology and host specificity of, 333
Milk, absence of residues from dimethoate, 119
*Mindarus abietinus*, 113
Mirex against: boll weevil and bollworm, 791
western harvester ant, 295
Miridae, 556
*Mocis* sp., 748
*Monochamus scutellatus*, 430
Monsanto CP 10502: against boll weevil, 192
in chick rations, 848
Monsanto CP 40273 against lepidopterous larvae, 877
Monsanto CP-40294 against: boll weevil and bollworm, 791
lepidopterous larvae, 877
Mosquito: larvae, insecticides tests on, 834
light traps for collecting, 123
nocturnal prevalence of anopheline, 670
repellents, 58
synergism of malathion against, 643
*Murgantia histrionica*, biology of, 108
*Musca autumnalis*, 214, 231, 251, 649
face fly against, 24
*Musca domestica*, 11, 67, 69, 80, 119, 150, 152, 214, 231, 310, 317, 345, 446, 468, 471, 479, 485, 492, 506, 516, 644, 650, 714, 808, 834, 842, 847, 863, 906
organophosphorus compounds as space applications against, 560
*Musca domestica vicina*, 492
*vicina*, 67
*Muscina stabulans*, 842
*Myconita lipara*, 112
*Mycosphaerella musicola*, 282
*Mymar luna*, 534
*Myzus persicae*, 35, 207, 228, 340, 413, 655, 814, 865, 900
relationship of watermelon mosaic virus to, 200
unsuitable plant hosts, 307

Nabidae, 556
*Nabis americoferus*, 558
*ferus*, 350
*subcoleoptratus*, 558
Naled (see also under Dibrom)
Naled, specificity to DDVP, 637
Naled against: aquatic wildlife, 185
banded cucumber beetle, 771
cowpea curculio, 734
*Empoasca kraemeri*, 418
flies, 560, 650
holly leaf miner, 737
Hymenoptera and coccinellid parasites, 697
midges, 237, 719
northern fowl mite, 321
sorghum webworm, 483
strawberry aphid, 535
tomato insects, 815
Nantucket pine tip moth, response to attractants, 714
Nemagon against periodical cicada emergence, 540
Nematode: control of forest insect pests, 427
parasite of boll weevil, 897
*Neoaplactana*, 427
*Neodiprion lecontei*, 430
*p. pratti*, parasites of, 618
Neotran against Hymenoptera and coccinellid parasites
*Nephotettix bipunctatus cincticeps* control, 773
*Netelia* sp., 137
Niacide against European red mite, 299
Nitrofurans, chemosterilants of stored-grain insects, 404
Nitrogen levels, effect on rice water weevil, 826
Northern corn rootworm, aldrin resistance in, 894
Northern fowl mite, control of, 321, 904
malathion tolerance, 509
NPD against cyclamen mite, 569

Obituaries: Rodney Cecil, 423
Joseph C. Chamberlin, 121
Merlin P. Jones, 545
Harold O. Peterson, 907
Price G. Piquett, 907
Louis Agassiz Stearns, 121
John Paul Vinzant, 424
Claude Wakeland, 423
Carl N. Watts, 546
*Oebalus pugnax*, 197
*Oestrus ovis*, 530
*Oiketicus kirbyi*, 282
*Oligonychus bicolor*, 419
*Oligotrophus* sp., 881
OMS-3 against: aquatic wildlife, 185
*Hippelates*, 49
OMS-8 against *Hippelates*, 49
OMS-115 against: aquatic wildlife, 185
*Hippelates*, 49
*Oncopeltus fasciatus*, 310
Onion maggot, resistance to insecticides, 580
*Opius dimidiatus*, 688
*Opsiphanes tamarindi*, 282
Orchard mites, effects of antibiotics on, 438
Organophosphate resistance of two-spotted spider mite, 182
Organophosphorous compounds: against insects and mites on cotton, 326
as space applications, 560
mammalian toxicity of, 310
Oriental fruit fly eggs and larvae, fumigants for toxicity to, 261
Oriental fruit moth larvae, effect of storage on, 167
Oriental rat flea, control of on white rats, 390
*Orius tristicolor*, 350
*Ornithonyssus sylviarum*, 321, 509
control with sulfaquinoxaline, 904
*Orthellia caesarion*, 254
Ortho 5305 against lepidopterous larvae, 877
*Ortholomus scolopax*, 558
*Oryzaephilus surinamensis*, 3, 373
*Ostrinia nubilalis*, 119, 243, 522, 741, 805
*Bacillus thuringiensis* and insecticides against, 804
*Otodectes cynotis* in dogs, 892
Ovex against: Hymenoptera and coccinellid parasites, 697
*Tetranychus telarius*, 275

Palm weevil, vector of coconut disease, 375
*Panonychus citri*, 111
*ulmi*, 298, 439
Papayas, ethylene dibromide against fruit fly in, 289
Paper chromatography, studies of endosulfan, 596
*Paralobesia viteana*, 431
Para-oxon, specificity to DDVP, 637
*Parasarcophaga argyrostoma*, 11, 847
Parathion, disappearance from grapes, 438
mammalian toxicity from, 312
residue in greens, 169
specificity to DDVP, 637
susceptibility of California red scale to, 884
wheat fly responses to, 492
Parathion against: alfalfa seed chalcid, 542
aphids, 36, 656, 845
aquatic wildlife, 185
banded cucumber beetle, 771
beet webworm, 250
caterpillars on tomato, 156
cowpea curculio, 735
*Empoasca kraemeri*, 418
eye-spotted bud moth, 787
*Hippelates*, 49
house fly, 67, 644
Hymenoptera and coccinellid parasites, 697
lepidopterous larvae, 877
mites, 224, 440, 792
mosquitoes, 644, 835
peach tree borer, 271
plum curculio, 812
red-banded leaf roller, 87
rice stem borer, 803
sorghum webworm, 483
*Tetranychus telarius*, 275
*Trichogramma semifumatum*, 348
wireworms, 9
*Patasson conotracheli*, 534
Pea aphid, against peas, 205
phorate and Di-Syston against, 95
resistance of alfalfa to, 53
spatial pattern in alfalfa fields, 104
Peach tree borer: control by pre-plant treatment, 463
insecticide schedules for, 270
Peanut flowering, bees associated with, 905

Peanuts, new insecticides against southern corn rootworm in, 15
Pear leaf blister mite, control with endosulfan, 664
Pears, residues of pesticides on, 343
Peas, resistance to pea aphid, 205
*Pectinophora gossypiella*, 158, 172, 360, 370, 388, 494, 641, 710, 900, 901, 902
*Pelecystoma harrisinae*, 284
Penco Biotrol BTB (see *Bacillus thuringiensis*)
Pentac (see also HRS-16)
Pentac against cyclamen mite, 569
Pentatomidae, 556
*Pentatrichopus fragaefolii*, 535
Peppers, green peach aphid control on, 340
*Peridesmia discus*, 611
Periodical cicada, nematocide effect on emergence, 540
*Periplaneta americana*, 6, 119, 479, 906
*Peronospora tabacina*, 36
Perthane, disappearance from grapes, 431
specificity to DDVP, 638
Perthane against: broccoli pests, 766
cowpea curculio, 734
green peach aphid, 36
Hymenoptera and coccinellid parasites, 697
Petroleum oils, ovicidal effectiveness of, 885
*Phaeogenes hariolus*, 267
Phaltan against: red-banded leaf roller, 87
*Philaenus lineatus*, 558
*spumarius*, 558
Phorate, influence on cotton, 519
specificity to DDVP, 637
Phorate against: aphids, 95, 228, 341, 681
banded cucumber beetle, 771
boll weevil, 192
cotton insects and mites, 327
Douglas-fir cone midge, 237
holly leaf miner, 737
spittlebug, 751
vegetable insects, 687
*Phormia regina*, effect of Thalidomide on, 720
*Phorocera hamata*, 620
*tortricis*, 268
Phosdrin, specificity to DDVP, 637
Phosdrin against: aphids, 36, 845
banded cucumber beetle, 771
*Empoasca kraemeri*, 418
holly leaf miner, 737
Hymenoptera and coccinellid parasites, 697
lepidopterous larvae, 877
lygus bugs, 532
rice stem borer, 803
sorghum webworm, 483
*Trichogramma semifumatum*, 348
Phosphamidon, residue, studies on crops, 88
specificity to DDVP, 637
Phosphamidon against: alfalfa seed chalcid, 542
aphids, 341, 535, 845
banded cucumber beetle, 771
cowpea curculio, 736
cyclamen mite 569
eye-spotted bud moth, 787
*Hippelates*, 49
holly leaf miner, 737
Hymenoptera and coccinellid parasites, 697
lepidopterous larvae, 877
midges, 237, 458
oriental rat flea, 391
sorghum pests, 458, 483
Phosphine, fumigant for rice, 706
Phostex against pear leaf blister mite, 664
*Phryxe pecosensis*, 268
*Phyctaenia ferrugalis*, 348
*Phyllocoptruta oleivora*, 548
*Phyllophaga destructor*, 703
*Phytomyza ilicicola*, control of, 736
*Phytophaga* sp., 461
*Phytoseiulus persimilis*, pesticide tolerance and predator efficiency of, 274
*Pieris protodice*, 877
*rapae*, 766, 877
Piesmatidae, 556
*Pikonema alaskensis*, 430
Pine resin vapors, toxicity to *Dendroctonus* bark beetles, 827
Pink bollworm, controlling and loss estimating, 158
cyanide in sex-lure traps, 901
damage to lint and seed of cotton, 710
DDT against, 388, 641, 900
winter carryover of, 172
Pink bollworm larvae, control of on cotton, 370
*Pinus elliottii*, attack by *Dendroctonus terebrans*, 817
Piperonyl butoxide against lepidopterous larvae, 877
*Pissodes strobi*, 429
*Plagiognathus chrysanthemi*, 557
*politus*, 557
Plant viruses, insect vectors of, 865
Plastic tags for sampling spray deposition, 114
*Plathypena scabra*, 552
*Platygaster* sp., 881
*Platynota stultana*, 348
*Plodia interpunctella*, 4
Plot seeder, modified, 529
Plum curculio, biological phenomena of 810
*Plutella maculipennis*, 766, 877
*Pogonomyrmex occidentalis*, poisoned baits against, 295
Pollen, Sevin residues in, 415
*Pollenia rudis*, 251
Polyhedral Virus against: cabbage loopers, 792
*Popillia japonica*, 289, 552, 776, 869, 906
*Porthetria dispar*, 415, 901
Potato aphid, control with systemic insecticides, 227
Potato leafhopper, damage to lima beans, 551
susceptibility of beans to, 895
Potatoes, relationship between sprout inhibitors and aphids on, 899
P. P. 175 (see also menazon)
P. P. 175 against green rice leafhopper, 775
*Pristiphora erichsonii*, 430
*Prodenia praefica*, 155
*Prosapia bicincta*, biology and insecticidal control of, 747
*Protoparce quinquemaculata*, 155, 814
*sexta*, 155
*Psallus seriatus*, 900
*Psara stultalis*, 112
*Pseudhomalopoda prima*, 604
*Psylla pyricola*, 343
sp., 461
Psyllidae, 557
Pteromalidae, 731
Puncture vine, biological control of, 333
Pyramat against: boll weevil, 892
face fly, 25
lepidopterous larvae, 877
Pyrethrins, toxicity of additives of, 699
Pyrophyllite against Hymenoptera and coccinellid parasites, 697

R-11 against: horn flies, 699
stable flies, 699
R-326 against: horn flies, 699
against: stable flies, 699
R-1571, in chick rations, 878
R 3422 against cyclamen mite, 570
Raspberries, control of rose stem girdler on, 674
Red-banded leaf roller, arrested development in, 634
control of on grapes, 86
rearing, 240
Red clover, Asiatic oak weevil in, 531
Red ring disease of coconuts, 375
Reference curves for DDT, Guthion, and carbaryl in codling moth, 722
*Reticulitermes flaripes*, response of, 300
*Rhagoletis pomonella*, 299
lead arsenate against, 160, 626
*Rhipicephalus sanguineus*, 415
Rhodia RP-9895; against flies, 346
evaluation of, 831
*Rhopalicus* sp., 881
*Rhopalosiphum maidis*, 113, 865
*pseudobrassicae*, 687
*Rhyacionia buoliana*, 429
*frustrana*, 714
*Rhynchophorus palmarum*, 375
*Rhyzopertha dominica*, 373, 727
Rice, infrared irradiation on insects in, 727
phosphine a fumigant for, 706
stink bug damage to, 197
Rice leafroller, in Fiji, 112
Rice stem borer, new insecticides for control of, 802
Rice stink bug, damage to rice, 197
Rice water weevil, determination of varietal reaction to, 893
effect of nitrogen levels on, 826
*Rodolia cardinalis*, 695
Rogor against: rice stem borer, 803
Ronnel, dermal applications to cattle and sheep, 272
Ronnel against: aquatic wildlife, 185
cattle grubs, 500
Clear Lake gnat, 622
*Drosophila melanogaster*, 726
flies, 231, 260, 500, 561, 644, 718
green peach aphid, 36
*Hippelates*, 49
mosquitoes, 644
northern fowl mite, 321
oriental rat flea, 391
Rose stem girdler, control of on raspberries, 674
Rotenone against: banded cucumber beetle, 771
corn earworm, 41
southern corn rootworm, 16
RP-10,465 against: strawberry aphid, 535
Ruelene against: cattle grub, 102, 632
*Gasterophilus* larvae, 50
holly leaf miner, 737
house flies, 644
lice on goats and sheep, 658
mosquitoes, 644
oriental rat flea, 391
Runner beans, susceptibility to potato leafhopper, 895
Ryania against Hymenoptera and coccinellid parasites, 697

*Saissetia oleae*, 116, 695
*Sanninoidea exitiosa*, 270, 463
*Sarcophaga derelicta*, 254
*lambens*, 284
*querula*, 254
Sarcophagidae, parasites reared from *Choristoneura pinus*, 267
*Scaphytopius acutus*, 559
*Schistocerca gregaria*, 852
*Schoenobius incertulas*, 802

Schradan against: Hymenoptera and coccinellid parasites, 697
potato aphid, 228
Scissors device, for collecting leaf samples, 235
Screw-worm, desiccation of larvae, 473
Screw-worm fly, nocturnal resting places, 498
relation to water sources, 798
screening chemosterilants of, 506
sexual sterility in, 468
*Scutigerella immaculata*, 237
SD (see Shell)
Seed maggot flies, susceptibility to aldrin, DDT, and Diazinon, 563
Sevin (see also carbaryl)
Sevin, in dusts for aircraft disinsectization, 869
northern fowl mite tolerance to, 510
Sevin, residue in: bees and pollen, 415
milk, 402
specificity to DDVP, 638
Sevin against: banded cucumber beetle, 772
beet webworm, 248
boll weevil, 352, 587, 892
bollworm, 791
broccoli pests, 766
codling moth, 663
corn earworm, 41
cotton insects, 902
cowpea curculio, 734
*Empoasca kraemeri*, 418
European corn borer, 806
eye-spotted bud moth, 787
flies, 25, 67, 254, 258, 649
green peach aphid, 36
green rice leafhopper, 775
*Heliothis virescens*, 572
holly leaf miner, 738
Hymenoptera and coccinellid parasites, 697
midges, 237, 457
mites, 321, 440
oriental rat flea, 391
pink bollworm larvae, 370
plum curculio, 812
red-banded leaf roller, 87
*Rhagoletis*, 161
rose stem girdler, 676
sorghum pests, 457, 483
southern corn rootworm, 16
stored-grain insects, 420
*Tetranychus telarius*, 275
tomato pests, 156, 815
*Trichogramma semifumatum*, 348
*Typhlodromus fallacis*, 274
western bean cutworm, 222
wireworms, 9
Sex attractant, collection from American cockroach, 119
from *Diprion*, 18
SG 68 against corn earworm, 41
SG 78 against corn earworm, 41
Sheep, lice control on, 658
Ronnel applied dermally to, 272
Sheep bot fly control with DDVP, 530
Shell SD-1843, evaluation of, 831
Shell SD 3562 (see also Bidrin)
Shell SD 3562, specificity to DDVP, 638
Shell SD 3562 against: alfalfa seed chalcid, 542
boll weevil, 192, 587
caterpillars on tomato, 156
cowpea curculio, 734
*Gasterophilus* larvae, 50
mites, 570, 792
oriental rat flea, 391
Shell SD-4294 (see also Ciodrin)
Shell SD 4294 against: alfalfa seed chalcid, 542
aquatic wildlife, 185
boll weevil, 587
flies, 256, 258
lice on goats and sheep, 658
northern fowl mite, 321
oriental rat flea, 391
wireworms, 9
Shell SD-4402 (see also Telodrin)
Shell SD-4402 against *Hippelates*, 49
Shell SD-5539 against: boll weevil, 587
cyclamen mite, 569
Shell SD-7438 against boll weevil, 587
SD-7587 against aquatic wildlife, 185
*Sibine apicalis*, 282
*Sitona cylindricollis*, 716
*hispidula*, 368
*Sitophilus granarius*, 373, 404, 420
*oryzae*, 373, 584, 706, 727
X-ray effects on, 554
*Sitotroga cerealella*, 404, 727
Snails, ethylene oxide fumigants against, 836
Soils, availability of dieldrin in, 781
*Solenopsis saevissima richteri*, 62
*Solenoptes capillatus*, 347
*Solenotus intermedius*, 814
Sorghum, grain, germination after fumigation, 144
habits of sorghum midge on grain, 454
Sorghum midge, habits and control, 454
Sorghum webworm, insecticides against, 483
Sour cherry, bionomics of eye-spotted bud moth on, 903
eye-spotted moth control, 786
Southern corn rootworm in peanuts, new insecticides against, 15
Southern cowpea weevil, protectants against, 588
Southernpeas, insecticides against *Chalcodermus* on, 733
Southern potato wireworm: against tobacco, 292
insecticide resistance, 419
Soybeans, Japanese beetle damage to, 776
susceptibility to potato leafhopper, 895
*Spalangia drosophilae*, 695
Spider mite, DDVP resin cylinder control of, 419
*Spilochalcis albifrons*, 534
*Spilonota ocellana*, 786
bionomics of, 903
biotic control factors of, 730
pupation sites of, 689
Spittlebug, biology and insecticidal control of, 747
*Spodoptera exigua*, 155, 814, 877
Spotted alfalfa aphid, resistance of alfalfa to, 53, 84
Spray-oil fractions, grapefruit tree responses, 547
Sprayers, step-on switches of automatic, 888
Sprout inhibitors and aphids on potatoes, 899
Spruce budworm, host preference for oviposition, 285
mortality, 465
site of egg masses, 574
Stable flies, toxicity of additives of pyrethrins to, 699
Stauffer N-2404 against cowpea curculio, 734
Stauffer N-2788 against: broccoli pests, 766
wireworms, 9
Stauffer N-3049, evaluation of, 831
Stauffer R-1504 (see also Imidan)
Stauffer R-1504, evaluation of, 832
Stauffer R-1504 against: alfalfa seed chalcid, 542
boll weevil, 587, 791
bollworm, 791
cyclamen mite, 569
desert spider mite, 792
flies, 346
lice on goats and sheep, 658
Stauffer R-2371 against *Gasterophilus* larvae, 50
Stauffer R-2968 against alfalfa seed chalcid, 542
Stauffer R-3352, evaluation of, 831
Stauffer R-3413 against broccoli pests, 766
Stauffer R-3422, evaluation of, 831
Stauffer R-3838, evaluation of, 831
Stauffer R-3829, evaluation of, 831
*Stegobium paniceum*, 3
*Steneotarsonemus pallidus*, 664
on strawberry, 565
*Stenodema vicinum*, 558
*Stenotus binotatus*, 558
*Stethorus picipes*, 695
*punctum*, 299
*Stomoxys calcitrans*, 119, 231, 614, 649, 699, 832, 842
Storage, effect on *Grapholitha*, 167
Stored-grain insects, nitrofurans against, 404
Sevin against, 420
Strawberry, cyclamen mite on, 565
lygus bugs and thrips deformity of, 823
Strawberry aphid, chemical control, 535
Strobane, specificity to DDVP, 638
Strobane against: cotton insects, 902
*Heliothis virescens*, 572
Sudan grass, germination after fumigation, 144
Sugar beets, chemical control of beet webworm on, 248
virus diseases on seed, 690
Sugarcane borer, control of first-generation, 407
Sulfaquinoxaline against northern fowl mites, 904
Sulfotepp against two-spotted spider mites, 224
Sulphenone against: Hymenoptera and coccinellid parasites, 697
*Susumia exigua*, in Fiji, 112
Sweetclover weevil control by plowing, 716
Sweet corn, European corn borer damage to, 243, 804
insecticides against corn earworms on, 40
resistance to *Laphygma*, 162
*Symmerista albifrons*, 430
*Systena* sp., 552
*Systole geniculata*, 541
new host and distributional record, 541

*Tabanus* spp., 232
Tabutrex against flies, 231, 699
Tachinidae, parasites reared from *Choristoneura pinus*, 267
Tarsonemidae, 565
TD-72 against: aquatic wildlife, 185
Douglas-fir cone midge, 237
TDE, specificity to DDVP, 638
TDE against: banded cucumber beetle, 771
caterpillars on tomato, 156
eye-spotted bud moth, 787
green peach aphid, 36
Hymenoptera and coccinellid parasites, 697
red-banded leaf roller, 87
Tedion (see also tetradifon)
Tedion against: northern fowl mite, 324
pear pests, 344
Teflon, insect barrier, 715
*Telenomus podisi*, 200

*utahensis*, 461
Telodrin (see also SD-4402)
Telodrin, specificity to DDVP, 638
alfalfa seed chalcid, 542
Telodrin against: boll weevil, 587
cotton insects, 902
cowpea curculio, 734
cyclamen mite, 569
green peach aphid, 36
rice stem borer, 803
sorghum pests, 458, 483
wireworms, 9
Telone against aphids on lily, 680
*Tenebrio molitor*, 4, 420
TEPP, specificity to DDVP, 637
TEPP against: banded cucumber beetle, 771
Hymenoptera and coccinellid parasites, 697
*Tetranychus telarius*, 275
two-spotted spider mites, 224
Tetradifon (see also Tedion)
Tetradifon against: cowpea curculio, 734
Hymenoptera and coccinellid parasites, 697
mites, 321, 792
*Tetranychus telarius*, 275
*Tetranychus atlanticus*, 328, 551
*cinnabarinus*, 74, 224, 274
*desertorum*, 791
*ludeni*, 614
*pacificus*, 328
*telarius*, 224, 274, 328, 419, 438, 504, 551, 565
*Tetranychus telarius*, organophosphate resistance in, 182
resistance induction in, 721
*urticae*, 182
*Tetrastichus bruchophagi*, 541
*incertus*, 610
sp., 460, 881
Thalidomide, effect on *Phormia regina*, 720
*Theba*, ethylene oxide fumigants against, 836
*Therioaphis maculata*, 53, 84, 348
Thiodan (see also endosulfan)
Thiodan against: European corn borer, 806
green peach aphid, 36
orchard mites, 440
pear pests, 343
*Thiodina pseustes*, 284
Thiometon against: rice stem borer, 803
Thiram against European red mite, 299
Thrips, relationship to strawberry deformity, 823
*Thrips nigropilosus*, 612
328, 613
Thuricide (see also *Bacillus thuringiensis*)
Thuricide against: caterpillars on tomato, 156
European corn borer, 806
Thysanoptera, extraction from foliage, 612
*Tineola bisselliella*, 2
Tobacco, green peach aphid on, 34
southern potato wireworm against, 292
wireworms attacking, 7
Tobacco budworm, host plants of, 135
Tomato fields, traps for *Drosophila* in, 897
Tomatoes, caterpillars attacking, 155
lygus bugs on, 532
toxicity of insecticides to insects on, 813
Tortricidae, 593
Toxaphene, specificity to DDVP, 638
Toxaphene against: alfalfa seed chalcid, 542
banded cucumber beetle, 771
beet webworm, 249
boll weevil, 352, 587, 791
bollworm, 444, 791
corn earworm, 41
cotton insects, 902
cowpea curculio, 735
*Empoasca kraemeri*, 418
flies, 82, 231, 256
green peach aphid, 36
Hymenoptera and coccinellid parasites, 697
pear pests, 343
sorghum webworm, 483
tomato pests, 156, 816
*Toxoptera graminum*, 109
Trap, for *Drosophila* in tomato fields, 897
light, efficiency in collecting mosquitoes, 125
sex-lure, 901
*Trathala flavo-orbitalis*, 112
*Tribolium castaneum*, 404
*Confusum*, 4, 373, 404, 420, 706, 906
*Tribulus terrestris*, biological control of, 333
*Trichogramma minutum*, 267
*pretiosum*, 283
*semifumatum*, insecticides against, 348
Trichogrammatidae, 731
*Trichoplusia ni*, 155, 340, 348, 537, 766, 791, 814, 877
*Trigonotylus americanus*, 558
*Trimerotropis p. pallidipennis*, 525
Triple-Mix against *Hippelates*, 755
Trithion (see also carbophenothion)
Trithion against: green peach aphid, 36
*Hippelates*, 49
mosquito larvae, 835
Triton B1956 against caterpillars on tomato, 157
*Trogoderma granarium*, 144
*inclusum*, food preference studies, 109
Two-spotted spider mite: fecundity, 503
organophosphate resistance in, 182
response to acaricides, 224
*Typhlodromus cucumeris*, 568
*fallacis*, pesticide tolerance of, 274

UC (see Union Carbide)
Union Carbide 8305 against: lepidopterous larvae, 877
wireworms, 9
Union Carbide 8557 against boll weevil, 892
Union Carbide 9967 against boll weevil, 892
Union Carbide 10230 against boll weevil, 892
Union Carbide 10782 against boll weevil, 892
Union Carbide 10783 against boll weevil, 892
Union Carbide 10853 against boll weevil, 892
Union Carbide 10854 against: boll weevil, 892
corn earworm, 41
green peach aphid, 341
lepidopterous larvae, 877
Union Carbide 13392 against boll weevil, 892
Union Carbide 13393 against boll weevil, 892
Union Carbide 13395 against boll weevil, 892
Union Carbide 13690 against boll weevil, 892

*Vasates lycopersici*, 156, 814
V-C-13, Nemacide, evaluation of, 832
V-C-13 against: *Gasterophilus* larvae, 50
*Hippelates*, 49
house flies and horn flies, 346
lice on goats and sheep, 658
onion maggot, 381
wireworms, 9
Vegetable insect control, 687
*Venturia inaequalis*, 160
*Villa sinuosa*, 619
Virginia pine sawfly, parasites of, 61

Water, against European red mite, 299
sources, screw-worm flies in relation to, 798
Watermelon mosaic virus, relationship to *Myzus*, 200
Western bean cutworm, in field beans, 222
Western harvester ant, poisoned baits against, 295
Wheat, feeding habits of Hessian fly larvae on, 702
plants, emergence of from treated seed, 32
seed, protection with diatomaceous earth; 372
White rats, control of oriental rat flea on, 390
Whole-fly responses, 492
Wildlife, insecticides against, 184
Wireworms, cyclodiene-resistant, distribution and control of, 7

*Xenopsylla cheopis*, 391
*Xenufens ruskini*, 283
X-ray: effects on *Sitophilus oryzae*, 584
exposure on European corn borer, 522
*Xylocopa aestuans*, 905

Youdan square for evaluation of insecticides, 586

*Zatropis* sp., 881
Zectran, specificity to DDVP, 638
Zectran against: alfalfa seed chalcid, 542
aphids, 535, 845
boll weevil, 791, 892
bollworm, 791
cabbage pests: 792, 845
corn earworm, 41
cowpea curculio, 734
cyclamen mite, 569
Douglas-fir cone midge, 237
*Empoasca kraemeri*, 418
European corn borer, 806
*Hippelates*, 49
holly leaf miner, 738
Hymenoptera and coccinellid parasites, 697
lepidotperous larvae, 877
lice on goats and sheep, 658
tomato insects, 815
wireworms, 9
Zineb against: citrus red mites, 548
green peach aphid, 36
Hymenoptera and coccinellid parasites, 697
*Tetranychus telarius*, 275
Zinophos (see also Cynem)
Zinophos against: alfalfa seed chalcid, 542
periodical cicada emergence, 540
southern corn rootworm, 16
spittlebug, 751
vegetable insects, 688
Zytron, in chick rations, 848

# Journal of
# ECONOMIC ENTOMOLOGY

*Published by the*
ENTOMOLOGICAL SOCIETY OF AMERICA

VOLUME 56 · 1963

# JOURNAL OF ECONOMIC ENTOMOLOGY

*Published by the*

ENTOMOLOGICAL SOCIETY OF AMERICA

R. H. NELSON, *Executive Secretary*

RALPH W. BUNN, *Managing Editor*

RICHARD H. FOOTE, *Editorial Assistant*

4603 Calvert Road, College Park, Maryland 20740

WILLIAM M. HOSKINS, *Editor*

RODERICK CRAIG, *Associate Editor*

Department of Entomology and Parasitology, University of California, Berkeley 4, California



*EDITORIAL BOARD*

RUTH L. BUSBEY, *Chairman*, Beltsville, Md. (Section F, 1963)

C. R. JORDAN, JR., Athens, Ga. (Section E, 1964)

R. D. O'BRIEN, Ithaca, N.Y. (Section B, 1965)

R. E. PFADT, Laramie, Wyo. (Section D, 1966)

E. I. SCHLINGER, Riverside, Calif. (Section C, 1967)



A bimonthly journal published on the 15th of February, April, June, August, October, and December devoted to the interests of economic entomology. The authors are entirely responsible for statements in the JOURNAL, whether of fact or opinion.

**TERMS OF SUBSCRIPTION.** Non-members in North America and U. S. Possessions—$20.00 a year; elsewhere—$20.00 plus $1.00 postage. Single Copies $4.00. **Deliveries overseas** are not guaranteed and foreign mailings are made at the subscriber's risk.

A *single order* for the JOURNAL OF ECONOMIC ENTOMOLOGY and the ANNALS OF THE ENTOMOLOGICAL SOCIETY OF AMERICA, *if sent to the same address*, may be obtained at a **COMBINATION PRICE** of $35.00 per year, domestic; $37.00 foreign.

**LOST NUMBERS.** Missing numbers cannot be supplied free of charge unless notice is received within 60 days after the appearance of issues concerned.

**BACK NUMBERS.** The Executive Secretary will be glad to quote prices upon request.

**REPRINTS.** No gratis copies are supplied. A schedule of prices which will apply to orders received before the JOURNAL is printed, and an order form are sent with proof. For price schedule, see BULLETIN OF THE ENTOMOLOGICAL SOCIETY OF AMERICA, Volume 7, No. 1, March 1961, or page 214 of Vol. 54(1) of the JOURNAL.

**BUSINESS COMMUNICATIONS** of the Society and **SUBSCRIPTION AND MATTERS PERTAINING TO ADVERTISEMENTS** should be sent to the Executive Secretary, Entomological Society of America, 4603 Calvert Road, College Park, Md. Changes of address must reach the office of the Executive Secretary 5 days prior to the month of issue to be effective for that month. Members should make use of the postal regulations which provide for forwarding of second class mail if postage upon delivery is guaranteed.

**ALL MANUSCRIPTS** and other copy for the JOURNAL should be sent to the Executive Secretary. Prompt publication of acceptable matter may be secured by payment of the cost of printing and mailing ($35.00 per page with additional charge for excessive tabular matter). Before preparing manuscripts for publication in the JOURNAL, authors are urged to consult the Publication Policies and Manuscript Rules and Suggestions given in the BULLETIN OF THE ENTOMOLOGICAL SOCIETY OF AMERICA Vol. 7(2): 59-62, June 1961.

**PAGE CHARGES.** All papers of more than one printed page will be charged at the rate of $20.00 per page, partial pages proportionately. See BULLETIN OF THE ENTOMOLOGICAL SOCIETY OF AMERICA Vol. 8(4): 209, December 1962.

# ENTOMOLOGICAL SOCIETY OF AMERICA

## OFFICERS FOR 1963

*President*—EDWARD A. STEINHAUS, Irvine, California
*President-Elect*—CARROLL N. SMITH, Gainesville, Florida
*Executive Secretary*—R. H. NELSON, 4603 Calvert Road, College Park, Maryland

## GOVERNING BOARD*

EDWARD A. STEINHAUS, Irvine, California (1964)

R. L. BEARD, New Haven, Conn. (B, 1963)
C. M. BECKHAM, Experiment, Ga. (Southeastern, 1965)
W. J. BROWN, Ottawa, Ontario (A, 1963)
R. H. DAVIDSON, Columbus, Ohio (North Central, 1963)
JACK E. FAHEY, Vincennes, Ind. (F, 1964)
ROBERT GLEN, Ottawa, Ontario (1963)
O. H. GRAHAM, Kerrville, Tex. (Southwestern, 1964)
G. D. JONES, Raleigh, N. C. (E, 1965)
H. C. KNUTSON, Manhattan Kan. (D, 1965)
R. H. NELSON, College Park, Md. (non-voting)
P. O. RITCHER, Corvallis, Ore. (Pacific, 1965)
C. N. SMITH, Gainesville, Fla. (1965)
EDWARD H. SMITH, Geneva, N. Y. (Eastern, 1964)
RAY F. SMITH, Berkeley, Calif. (C, 1964)

* Section or Branch represented and year term expires shown in parentheses.

## BRANCH OFFICERS

### Branch Chairmen

C. L. HOVEY—W. Springfield, Mass. (Eastern)
G. E. GUYER—E. Lansing, Mich. (North Central)
H. T. REYNOLDS—Riverside, Calif. (Pacific)
W. C. NETTLES—Clemson, S. C. (Southeastern)
D. F. MARTIN—Brownsville, Tex. (Southwestern)

### Branch Chairmen-Elect

B. B. PEPPER—New Brunswick, N. J. (Eastern)
J. V. OSMUN—Lafayette, Ind. (North Central)
R. W. HARPER—Sacramento, Calif. (Pacific)
L. D. NEWSOM—Baton Rouge, La. (Southeastern)
H. E. MEADOWS—Houston, Tex. (Southwestern)

### Branch Secretaries

J. P. JOHNSON—New Haven, Conn. (Eastern)
J. G. RODRIGUEZ—Lexington, Ky. (North Central)
WM. W. ALLEN—Berkeley, Calif. (Pacific)
S. R. MORRIS—New Orleans, La. (Southeastern)
W. S. MCGREGOR—Lake Jackson, Tex. (Southwestern)

# AUTHOR INDEX TO VOLUME 56


ABEDI, Z. H., J. R. DUFFY, and A. W. A. BROWN— Dehydrochlorination and DDT-Resistance in *Aedes aegypti* ..... (Aug.) 511

ADKINS, THEODORE R., JR.—Absence of Residues in Milk after Barns were Sprayed with Dimethoate ..... (Sci. Note, Feb.) 119

ADKINS, THEODORE R., JR., DONALD H. KROPF, and SAM G. WOODS—Residue Deposition of Co-Ral in the Tissues of Back-Line Treated Cattle ..... (Dec.) 759

ADKISSON, P. L., see D. L. BULL ..... (Oct.) 641

AHMAD, S. HILAL, see M. SAYEED QURAISHI ..... (Oct.) 688

ALEXANDER, B. H., and MORTON BEROZA—Aliphatic Amides of Cyclic Amines and Tolyl Maleimides as Mosquito Repellents ..... (Feb.) 58

ALEXANDER, M. W., see G. M. BOUSH ..... (Feb.) 15

ALLEN, NORMAN, see C. S. CREIGHTON ..... (June) 292

ALLEN, WILLIAM W., and S. E. GAEDE—The Relationship of Lygus Bugs and Thrips to Fruit Deformity in Strawberries ..... (Dec.) 823

ALLER, H. E., and P. C. LIPPOLD—Resistance Induction in *Tetranychus telarius* with Binapacryl ..... (Dec.) 721

ALLEY, D. A., see B. G. HIGHTOWER ..... (Dec.) 798

AMMAN, GENE D.—A New Distribution Record for the Balsam Twig Aphid ..... (Sci. Note, Feb.) 113

ANDERSON, L. D., see H. H. SHOREY ..... (Sci. Note, Aug.) 532

ANDERSON, L. D., H. NAKAKIHARA, and I. M. HALL—Toxicity of New Insecticides to Corn Earworms on Sweet Corn ..... (Feb.) 40

ANDRES, L. A., and G. W. ANGALET—Notes on the Ecology and Host Specificity of *Microlarinus lareynii* and *M. lypriformis* (Coleoptera: Curculionidae) and the Biological Control of Puncture Vine, *Tribulus terrestris* ..... (June) 333

ANGALET, G. W., see L. A. ANDRES ..... (June) 333

ARIAS, ROBERT O., see IRWYN A. RAMMER ..... (Oct.) 664

ARTHUR, B. W., see F. S. MCCAIN ..... (Dec.) 902

ARTHUR, B. W., see H. B. CAMP ..... (June) 402

ARTHUR, B. W., see U. E. BRADY, JR. ..... (Feb.) 74

ARTHUR, B. W., see U. E. BRADY, JR. ..... (Aug.) 477

ASANO, SHOJI, see SUMIO NAGASAWA ..... (Sci. Note, Oct.) 714

ASQUITH, DEAN, see DONALD E. H. FREAR ..... (June) 399

AVENS, A. W., see E. F. TASCHENBERG ..... (Aug.) 431

AXELROD, H., see M. S. MULLA ..... (Apr.) 184

AXTELL, RICHARD C.—Effect of Macrochelidae (Acarina: Mesostigmata) on House Fly Production from Dairy Cattle Manure ..... (June) 317

BACON, OSCAR G., and W. D. RILEY—Toxicity of Several Insecticides to the Adult Alfalfa Seed Chalcid in Laboratory Tests ..... (Sci. Note, Aug.) 542

BAILEY, JACK C., see H. A. DEAN ..... (Oct.) 547

BAKER, JAMES T., see RICHARD W. FAY ..... (Feb.) 69

BALL, HAROLD J., and GERALD T. WEEKMAN—Differential Resistance of Corn Rootworms to Insecticides in Nebraska and Adjoining States ..... (Oct.) 553

BALL, HAROLD J., see GERALD T. WEEKMAN ..... (Oct.) 708

BALOCK, J. W., see A. K. BURDITT, JR. ..... (June) 289

BALOCK, J. W., A. K. BURDITT, JR., and L. D. CHRISTENSON—Effects of Gamma Radiation on Various Stages of Three Fruit Fly Species ..... (Feb.) 42

BALOCK, JOHN W., see ARTHUR K. BURDITT, JR. ..... (June) 261

BANG, Y. H., and B. M. KAE—The Green Rice Leafhopper, *Nephotettix bipunctatus cincticeps*, and Its Control in Korea ..... (Dec.) 773

BANG, YONG HO—Laboratory Evaluation of Several Chemical Protectants Against the Southern Cowpea Weevil, *Callosobruchus chinensis* on Stored Dried Beans in Korea ..... (Oct.) 588

BARKER, ROY J., and LELAND N. EDMUNDS, JR.—Comparing Resistance of House Flies to the Eight Stereoisomers of Allethrin ..... (Apr.) 152

BARNES, M. M., and H. R. MOFFITT—Resistance to DDT in the Adult Codling Moth and Reference Curves for Guthion and Carbaryl ..... (Dec.) 722

BARNES, O. L.—Resistance of Moapa Alfalfa to the Spotted Alfalfa Aphid in Commercial-Size Fields in South-Central Arizona ..... (Feb.) 84

BARNES, O. L.—Food-Plant Tests with the Differential Grasshopper ..... (June) 396

BARNES, O. L.—Observations on the Life History of the Desert Grasshopper (*Trimerotropis pallidipennis pallidipennis*) in Laboratory and Insectary Cages ..... (Aug.) 525

BARR, A. RALPH, THEODORE A. SMITH, MELVIN M. BOREHAM, and KATHLEEN E. WHITE—Evaluation of Some Factors Affecting the Efficiency of Light Traps in Collecting Mosquitoes ..... (Apr.) 123

BARTLETT, BLAIR R.—The Contact Toxicity of Some Pesticide Residues to Hymenopterous Parasites and Coccinellid Predators ..... (Oct.) 694

BARTLETT, F. J., see C. S. LOFGREN ..... (Feb.) 62

BASILE, JOSEPH V., see ROBERT B. FERGUSON ..... (Aug.) 459

BASTIDA, RUDOLFO, see CHARLES H. BRETT ..... (Apr.) 162

BAUMHOVER, A. H.—Susceptibility of Screw-Worm Larvae and Prepupae to Desiccation ..... (Aug.) 473

BAUMHOVER, A. H.—Influence of Aeration During Gamma Irradiation of Screw-Worm Pupae ..... (Oct.) 628

BEAN, JAMES L., see LOUIS F. WILSON ..... (Oct.) 574

BECK, E. W.—Observations on the Biology and Cultural-Insecticidal Control of *Prosapia bicincta*, a Spittlebug, on Coastal Bermudagrass ..... (Dec.) 747

BENJAMIN, D. M., see J. C. DIXON ..... (June) 266

BENNETT, C. W., see ORIN A. HILLS ..... (Oct.) 690

BENNETT, S. E., and C. A. THOMAS, JR.—The Correlation Between Lipid Content and Percent Mortality of the Alfalfa Weevil to Heptachlor and Malathion ..... (Sci. Note, Apr.) 239

BENSCHOTER, C. A.—Evaluation of Ethylene Chlorobromide as a Fumigant for Citrus and Mangoes Infested by the Mexican Fruit Fly ..... (June) 394

BENSON, OSCAR L., and CURTIS W. WINGO—Investigations of the Face Fly in Missouri ..... (June) 251

BERRY, I. L., and R. A. HOFFMAN—Use of Step-on Switches for Control of Automatic Sprayers ..... (Dec.) 888

BEROZA, MORTON, see E. H. ALEXANDER ..... (Feb.) 58

BIGGER, J. H.—Corn Rootworm Resistance to Chlorinated Hydrocarbon Insecticides in Illinois ..... (Sci. Note, Feb.) 118

BIGLEY, WALTER S., see FREDERICK W. PLAPP, JR. ..... (Oct.) 643

BLACK, J. HODGE, and T. F. LEIGH—The Biology of the Boll Weevil in Relation to Cotton Type ..... (Dec.) 789

BLAIR, B. D., C. A. TRIPLEHORN, and G. W. WARE—Aldrin Resistance in Northern Corn Rootworm Adults in Ohio ..... (Sci. Note, Dec.) 894

BLEAK, E. E., see M. W. NIELSON ..... (Feb.) 93

BLOUNT, CLYDE L., see WILLIAM W. NEEL ..... (Feb.) 101

BOBB, MARVIN L.—Insect Parasites of the Virginia Pine Sawfly, *Neodiprion pratti pratti* ..... (Oct.) 618

BOOK REVIEWS ..... 107, 422

BOREHAM, MELVIN M., see A. RALPH BARR ..... (Apr.) 123

BORKOVEC, A. B., see H. K. GOUCK ..... (Aug.) 506

BOSWELL, A. L., see FLOYD F. SMITH ..... (Apr.) 224

BOSWELL, A. L., see FLOYD F. SMITH ..... (June) 274

BOULANGER, L. W.—The Effect of Some Fungicides on European Red Mite Populations in Maine ..... (June) 298

BOUSCH, G. M., M. W. ALEXANDER, and W. L. POWELL—Field Tests with New Insecticides for Control of the Southern Corn Rootworm Attacking Peanuts in Virginia ..... (Feb.) 15

BOWLING, C. C.—Cage Tests to Evaluate Stink Bug Damage to Rice ..... (Apr.) 197

BOWLING, C. C.—Effect of Nitrogen Levels on Rice Water Weevil Populations ..... (Dec.) 826

BOWLING, C. C.—Tests to Determine Varietal Reaction to Rice Water Weevil ..... (Sci. Note, Dec.) 893

BRADY, U. E., JR., and B. W. ARTHUR—Biological and Chemical Properties of Dimethoate and Related Derivatives ..... (Aug.) 477

BRADY, U. E., JR., J. W. RAWSON, and B. W. ARTHUR—Systemic Effectiveness of Insecticides Against Boll Weevil Larvae and Other Cotton Pests ..... (Feb.) 74

BRAZZEL, J. R.—Resistance to DDT in *Heliothis virescens* ..... (Oct.) 571

BRAZZEL, J. R., see O. E. SHIPP ..... (Dec.) 793

BRAZZEL, J. R., see M. S. MAYER ..... (Oct.) 605

BRETT, CHARLES H., and RUDOLFO BASTIDA—Resistance of Sweet Corn Varieties to the Fall Armyworm, *Laphygma frugiperda* ..... (Apr.) 162

BRINDLEY, TOM A., see JOHN R. WALKER ..... (Aug.) 522

BROOKS, R. F., see E. R. OATMAN ..... (Dec.) 786

BROWN, A. W. A., see F. MATSUMURA ..... (June) 381

BROWN, A. W. A., see Z. H. ABEDI ..... (Aug.) 511

BRUBAKER, R. W., see ORIN A. HILLS ..... (Oct.) 690

BUCK, W. B., see R. D. RADELEFF ..... (June) 272

BULL, D. L., D. A. LINDQUIST, and J. HACSKAYLO—Absorption and Metabolism of Dimethoate in the Bollworm and Boll Weevil ..... (Apr.) 129

BULL, D. L., and P. L. ADKISSON—Absorption and Metabolism of $C^{14}$-Labeled DDT by DDT-Susceptible and DDT-Resistant Pink Bollworm Adults ..... (Oct.) 641

BULLOCK, J. A.—Extraction of Thysanoptera from Samples of Foliage ..... (Oct.) 612

BURDEN, G. S., see B. J. SMITTLE ..... (June) 415

BURDITT, A. K., JR., see J. W. BALOCK ..... (Feb.) 42

BURDITT, ARTHUR K., JR., FRANK G. HINMAN, and JOHN W. BALOCK—Screening of Fumigants for Toxicity to Eggs and Larvae of the Oriental Fruit Fly and Mediterranean Fruit Fly ..... (June) 261

BURDITT, A. K., JR., J. W. BALOCK, F. G. HINMAN, and S. T. SEO—Ethylene Dibromide Water Dips for Destroying Fruit Fly Infestations of Quarantine Significance in Papayas ..... (June) 289

BURNS, E. C., see B. H. WILSON ..... (Oct.) 578

BURNS, EDWARD C., and B. H. WILSON—Field Resistance of Horn Flies to the Organic Phosphate Insecticide Ronnel ..... (Oct.) 718

BURRAGE, R. H.—Emergence of Chinook Wheat Plants Grown from Seed Treated with Aldrin Powder, or Aldrin or Heptachlor Liquid Dressings, with or without a Mercury Fungicide ..... (Feb.) 32

BUTLER, LILLIAN, see WILLIAM C. COOK ..... (Feb.) 95

BUTTRAM, J. R., see H. B. CAMP ..... (June) 402

CALKINS, C. O., see G. R. MANGLITZ ..... (Sci. Note, Oct.) 716

CAMP, H. B., J. R. BUTTRAM, K. L. HAYS, and B. W. ARTHUR—Sevin Residues in Milk from Dairy Cows Following Dermal Applications ..... (June) 402

CAMPBELL, JOHN, see ROBERT E. PFADT ..... (Sci. Note, Aug.) 530

CAMPBELL, ROY E., see M. W. STONE ..... (Obituary, June) 423

CAPLAN, IRA, see PRESTON E. HUNTER ..... (June) 419

CARTER, M. C., see F. S. MCCAIN ..... (Dec.) 902

CARTIER, JEAN JACQUES—Varietal Resistance of Peas to Pea Aphid Biotypes Under Field and Greenhouse Conditions ..... (Apr.) 205

CASIDA, J. E., H. C. COPPEL, and T. WATANABE—Purification and Potency of the Sex Attractant from the Introduced Pine Sawfly, *Diprion similis* ..... (Feb.) 18

CASIDA, J. E., see T. WATANABE ..... (June) 300

CHAMBERLAIN, W. F., see R. H. ROBERTS ..... (Oct.) 614

CHANG, M. T. Y., see MARTIN SHERMAN ..... (Feb.) 10

CHAPMAN, A. J., L. W. NOBLE, O. T. ROBERTSON, and G. L. SMITH—Early-Season Application of DDT for Pink Bollworm Control ..... (Sci. Note, Dec.) 900

CHAPMAN, A. J., see R. L. MCGARR ..... (Dec.) 902

CHAPMAN, GARY, A., see FREDERICK W. PLAPP, JR. ..... (Oct.) 643

CHAPMAN, P. J., see B. J. FIORI ..... (Dec.) 885

CHAPMAN, P. J.—George E. R. Hervey (1894–1962) ..... (Obituary, June) 424

CHIANG, H. C.—A Modified Flight Chamber ..... (Sci. Note, Feb.) 117

CHIANG, H. C., and A. C. HODSON—European Corn Borer Damage to Sweet Corn as Affected by the Date of Planting ..... (June) 243

CHISHOLM, R. D., see W. N. SULLIVAN ..... (Dec.) 869

CHRISTENSON, L. D., see J. W. BALOCK ..... (Feb.) 42

CLABORN, H. V., H. D. MANN, R. L. YOUNGER, and R. D. RADELEFF—Diazinon Residues in the Fat of Sprayed Cattle ..... (Dec.) 858

CLANCY, D. W., ALLEN G. SELHIME, and MARTIN H. MUMA—Establishment of *Aphytis holoxanthus* as a Parasite of Florida Red Scale in Florida ..... (Oct.) 603

CLEVELAND, TOMIE C.—A Nematode Parasite of the Boll Weevil ..... (Sci. Note, Dec.) 897

COCHRAN, J. H., see SIDNEY B. HAYS ..... (Dec.) 810

COGBURN, ROBERT R., and ELVIN W. TILTON—Studies of Phosphine as a Fumigant for Sacked Rice under Gas-Tight Tarpaulins ..... (Oct.) 706

COLES, LEON W., and BENJAMIN PUTTLER—Status of the Alfalfa Weevil Biological Control Program in the Eastern United States ..... (Oct.) 609

CONCIENNE, E. J., see S. D. HENSLEY ..... (June) 407

CONE, WYATT W.—The Black Vine Weevil, *Brachyrhinus sulcatus*, as a Pest of Grapes in South Central Washington ..... (Oct.) 677

COOK, WILLIAM C., LILLIAN BUTLER, KENNETH C. WALKER, and PAUL E. FEATHERSTON—Granular In-Furrow Treatments with Phorate and Di-Syston against the Pea Aphid on Peas ..... (Feb.) 95

COPPEL, H. C., see J. E. CASIDA ..... (Feb.) 18

COUDRIET, D. L., and D. M. TUTTLE—Seasonal Flights of Insect Vectors of Several Plant Viruses in Southern Arizona ..... (Dec.) 865

COUDRIET, D. L., see ORIN A. HILLS ..... (Oct.) 690

COWAN, C. B., JR., J. W. DAVIS, and C. R. PARENCIA, JR.—Winter Survival of the Boll Weevil in Cotton Bolls in Central Texas ..... (Aug.) 404

COWAN, C. B., JR., and J. W. DAVIS—Control of Several Late-Season Cotton Pests in Field Experiments in 1962 ..... (Dec.) 790

COWLEY, G. T., see E. P. LICHTENSTEIN ..... (Aug.) 485

COX, JAMES A.—Control of Red-Banded Leaf Roller on Grapes ..... (Feb.) 86

CREIGHTON, C. S., W. S. KINARD, and NORMAN ALLEN—The Southern Potato Wireworm, A New Pest of Tobacco ..... (June) 292

CRESSMAN, A. W.—Response of Citrus Red Mite to Chemical Sterilants ..... (Sci. Note, Feb.) 111

CRESSMAN, A. W.—Effect of Repeated Sprays on Susceptibility of California Red Scale to Parathion ..... (Dec.) 884

CROWELL, H. H.—Control of the Western Harvester Ant, *Pogonomyrmex occidentalis*, with Poisoned Baits ..... (June) 295

CRYSTAL, MAXWELL M.—The Induction of Sexual Sterility in the Screw-Worm Fly by Antimetabolites and Alkylating Agents ..... (Aug.) 468

CRYSTAL, MAXWELL M., see H. K. GOUCK ..... (Aug.) 506

CUTKOMP, L. K., see SOAD A. SOLIMAN ..... (Aug.) 492

DAVICH, T. B., see J. C. KELLER ..... (Sci. Note, Feb.) 110

DAVIS, A. C., F. L. MCEWEN, and R. W. ROBINSON—Preliminary Studies on the Effect of Lygus Bugs on the Set and Yield of Tomatoes ..... (Aug.) 532

DAVIS, DONALD W., see E. FRED LEGNER ..... (Feb.) 29

DAVIS, DONALD W., and N. N. RAGHUVIR—The Control of the Rose Stem Girdler on Raspberries in Utah ..... (Oct.) 674

DAVIS, J. W., see C. B. COWAN, JR. ..... (Oct.) 494

DAVIS, J. W., see C. B. COWAN, JR. ..... (Dec.) 790

DEAN, H. A., and JACK C. BAILEY—Responses of Grapefruit Trees to Various Spray Oil Fractions ..... (Oct.) 547

DEAN, R. W., and D. H. PALMITER—Effect of Soil Applications of Nematocides on Emergence of Periodical Cicada ..... (Aug.) 540

DEFOLIART, G. R.—Preventive Spraying Schedules for Dairy Farm Fly Control ..... (Oct.) 649

DEONIER, CALVIN E., C. W. GETZENDANER, V. D. Young, and ROBERT G. WINTERFELD—Mylar Plastic Tags for Sampling Spray Deposition on Individual Leaves and Surfaces ..... (Sci. Note, Feb.) 114
DITMAN, L. P., see CHARLES J. ECKENRODE ..... (Oct.) 551
DITMAN, L. P., see MICHAEL F. LITTLEFORD ..... (Dec.) 766
DITMAN, L. P., see R. E. MENZER ..... (Feb.) 88
DITTRICH, VOLKER—A Recessive Factor for Organophosphate-Resistance in Populations of the Two-Spotted Spider Mite, *Tetranychus telarius* ..... (Apr.) 182
DIXON, J. C., and D. M. BENJAMIN—Natural Control Factors Associated with the Jack-Pine Budworm, *Choristoneura pinus* ..... (June) 266
DOBSON, R. C., and D. P. SANDERS—Cattle Grub Control by the Addition of a Systemic Insecticide to Drinking Water ..... (Oct.) 717
DOBSON, R. C., and R. C. PETERSON—Horn Fly Control on Beef Cattle by the Use of Cable Rubbers ..... (Apr.) 230
DOERING, GEORGE W., and N. M. RANDOLPH—Habits and Control of the Sorghum Midge, *Contarinia sorghicola*, on Grain Sorghum ..... (Aug.) 454
DOGGER, J. R., and C. H. HANSON—Reaction of Alfalfa Varieties and Strains to Alfalfa Weevil ..... (Apr.) 192
DRUMMOND, R. O.—Tests with Systemic Insecticides for the Control of *Gasterophilus* Larvae in Horses ..... (Feb.) 50
DRUMMOND, R. O.—Toxicity to House Flies and Horn Flies of Manure from Insecticide-Fed Cattle ..... (June) 344
DRUMMOND, R. O.—Small-Scale Field Tests in Texas with Six Systemic Insecticides for the Control of Cattle Grubs ..... (Oct.) 632
DRUMMOND, R. O.—Further Evaluation of Animal Systemic Insecticides, 1962 ..... (Dec.) 831
DRUMMOND, R. O., see J. G. MEDLEY ..... (Aug.) 500
DRUMMOND, R. O., see J. G. MEDLEY ..... (Oct.) 658
Duffy, J. R., see Z. H. ABEDI ..... (Aug.) 511
DUNN, PAUL H., and BYRON J. MECHALAS—An Easily Constructed Vacuum Duster ..... (Sci. Note, Dec.) 899
DUSTAN, G. G.—The Effect of Standard Cold Storage and Controlled Atmosphere Storage on Survival of Larvae of the Oriental Fruit Moth, *Grapholitha molesta* ..... (Apr.) 167
DUTKY, S. R., see M. S. SCHECHTER ..... (Feb.) 76

EBELING, WALTER, and ROBERT E. WAGNER—Teflon as a Barrier to Insects ..... (Sci. Note, Oct.) 715
ECKENRODE, CHARLES J., and L. P. DITMAN—An Evaluation of Potato Leafhopper Damage to Lima Beans (Oct.) 551
EDDY, GAINES W., see FREDERICK W. PLAPP, JR. ..... (Oct.) 643
EDEN, W. G., see F. S. MCCAIN ..... (Dec.) 902
EDMUNDS, LELAND N., JR., see ROY J. BARKER ..... (Apr.) 152
ELMER, H. S.—Protection of Dates from Injury Caused by the Apache Cicada in California ..... (Dec.) 875
EL-SEBAE, ABDEL KHALEK H.—Insecticidal Properties of Sevin Against Some Stored-Grain Insects ..... (Sci. Note, June) 420
ENGLISH, L. L.—Experiments for the Control of a Juniper Tip Midge ..... (Dec.) 880
ERGUL, C., see M. SAYEED QURAISHI ..... (Oct.) 672

FALES, J. H., see R. L. WALKER ..... (Obituary, Dec.) 907
FARRIER, MAURICE H., see CLAYTON WRAY ..... (Sci. Note, Oct.) 714
FAY, RICHARD W., JOHN W. KILPATRICK, and JAMES T. BAKER—Rearing and Isotopic Labeling of *Fannia canicularis* ..... (Feb.) 69
FEATHERSTON, PAUL E., see WILLIAM C. COOK ..... (Feb.) 95
FERGUSON, ROBERT B., MALCOLM M. FURNISS, and JOSEPH V. BASILE—Insects Destructive to Bitterbrush Flowers and Seeds in Southwestern Idaho ..... (Aug.) 459
FIFE, L. C., O. T. ROBERTSON, and H. M. GRAHAM—Winter Carryover of the Pink Bollworm Under Various Cultural Practices in Central Texas ..... (Apr.) 172
FIORI, B. J., E. H. SMITH, and P. J. CHAPMAN—Some Factors Influencing the Ovicidal Effectiveness of Saturated Petroleum Oils and Synthetic Isoparaffins ..... (Dec.) 885
FLANDERS, STANLEY E.—Predation by Parasitic Hymenoptera the Basis of Ant-Induced Outbreaks of a Host Species ..... (Sci. Note, Feb.) 116
FLOYD, E. H., see D. L. HOOVER ..... (Oct.) 584
FORSYTHE, H. Y., JR., see D. D. HARDEE ..... (Oct.) 555
FORSYTHE, H. Y., JR., and GEORGE G. GYRISCO—The Spatial Pattern of the Pea Aphid in Alfalfa Fields ..... (Feb.) 104
FOULK, J. D., and J. G. MATTHYSSE—Experiments on Control of the Northern Fowl Mite ..... (June) 321
FREAR, DONALD E. H., and DEAN ASQUITH—Spray Deposits on Apple Trees Following Applications by Three Types of Sprayers ..... (June) 399
FUERTES-POLO, CELIA, see R. L. METCALF ..... (Dec.) 862
FUKUTO, T. R., see H. H. SHOREY ..... (Sci. Note, Aug.) 532
FUKUTO, T. R., see R. L. METCALF ..... (Dec.) 862
FUKUTO, T. R., R. L. METCALF, M. Y. WINTON, and R. B. MARCH—Structure and Insecticidal Activity of Alkyl 2,4,5-Trichlorophenyl *N*-Alkylphosphoramidates (Dec.) 808
FULTON, R. A., A. H. YEOMANS, and W. N. SULLIVAN—Ethylene Oxide as a Fumigant Against Insects ..... (Dec.) 906
FULTON, R. A., see FLOYD F. SMITH ..... (Apr.) 224
FURMAN, DEANE P., and VIRGIL S. STRATTON—Control of Northern Fowl Mites, *Ornithonyssus sylviarum*, with Sulfaquinoxaline ..... (Sci. Note, Dec.) 904
FURNISS, MALCOLM M., see ROBERT B. FERGUSON (Aug.) 459
FYE, R. L., see LABRECQUE, G. C. ..... (Apr.) 150

GADDIS, C. H., see W. N. SULLIVAN ..... (Dec.) 869
GAEDE, S. E., see WILLIAM W. ALLEN ..... (Dec.) 823
GAHAN, J. B., see H. K. GOUCK ..... (Aug.) 445
GALLUN, R. L., and RUBLE LANGSTON—Feeding Habits of Hessian Fly Larvae on $P^{32}$-Labeled Resistant and Susceptible Wheat Seedlings ..... (Oct.) 702
GANS, GEORGE, see CARL H. SHANKS, JR. (Sci. Note, Apr.) 237
GEHRING, R. D., and HAROLD F. MADSEN—Some Aspects of the Mating and Oviposition Behavior of the Codling Moth, *Carpocapsa pomonella* ..... (Apr.) 140
GEORGHIOU, G. P.—Comparative Susceptibility to Insecticides of Two Green Peach Aphid Populations, Collected 16 Years Apart ..... (Oct.) 655
GETZENDANER, C. W., see CALVIN E. DEONIER ..... (Sci. Note, Feb.) 114
GETZENDANER, C. W., and H. W. PRESCOTT—JOSEPH C. CHAMBERLIN (1898–1962) ..... (Obituary, Feb.) 121
GIBBS, S. D., see E. F. TASCHENBERG ..... (Aug.) 431
GIBSON, HAROLD C., see HORATIO C. MASON ..... (Dec.) 725
GLASS, E. H.—A Pre-Diapause Arrested Development Period in the Red-Banded Leaf Roller *Argyrotaenia relutinana* ..... (Oct.) 634
GOEDEN, RICHARD D., and DALE M. NORRIS—The Potential of *Magdalis* spp. in the Transmission of *Ceratocystis ulmi* (Buis.) Moreau ..... (Sci. Note, Apr.) 238
GONZALES, CIRIACO Q., see WOODROW W. MIDDLEKAUFF ..... (Apr.) 155
GOUCK, H. K., D. W. MEIFERT, and J. B. GAHAN—A Field Experiment with Apholate as a Chemosterilant for the Control of House Flies ..... (Aug.) 445
GOUCK, H. K., see G. C. LABRECQUE ..... (Aug.) 476
GOUCK, H. K., MAXWELL M. CRYSTAL, A. B. BORKOVEC, and D. W. MEIFERT—A Comparison of Techniques for Screening Chemosterilants of House Flies and Screw-Worm Flies ..... (Aug.) 506
GOULD, GEORGE E.—Japanese Beetle Damage to Soybeans and Corn ..... (Dec.) 776
GRAHAM, H. M., and D. F. MARTIN—Use of Cyanide in Pink Bollworm Sex-Lure Traps ..... (Sci. Note, Dec.) 901
GRAHAM, H. M., see L. C. FIFE ..... (Apr.) 172
Graham, O. H., see J. G. MEDLEY ..... (Aug.) 500
GRAHAM, O. H., see R. H. ROBERTS ..... (Oct.) 699
GRANETT, PHILIP, see ELTON J. HANSENS ..... (Feb.) 24
GRAVES, JERRY B., JOHN S. ROUSSEL, and JACOB R. PHILLIPS—Resistance to Some Chlorinated Hydrocarbon Insecticides in the Bollworm, *Heliothis zea* ..... (Aug.) 442
GRAYSON, JAMES MCD.—Further Selection of Normal and Chlordane-Resistant German Cockroaches for Resis-

tance to Malathion and Diazinon ..... (Aug.) 447
GUTHRIE, F. E., R. L. RABB, and D. A. MOUNT—Distribution and Control of Cyclodiene-Resistant Wireworms Attacking Tobacco in North Carolina ..... (Feb.) 7
GYRISCO, GEORGE G., see C. S. KOEHLER ..... (Aug.) 489
GYRISCO, GEORGE G., see D. D. HARDEE ..... (Feb.) 98
GYRISCO, GEORGE G., see D. D. HARDEE ..... (Oct.) 555
GYRISCO, GEORGE G., see GEORGE O. POINAR, JR. ..... (Sci. Note, Aug.) 533
GYRISCO, GEORGE G., see H. Y. FORSYTHE, JR. ..... (Feb.) 104
GYRISCO, GEORGE G., see RONALD J. PROKOPY ..... (Sci. Note, Apr.) 241

HACSKAYLO, J., see D. L. BULL ..... (Apr.) 129
HAGEN, ARTHUR F.—Evaluation of Populations and Control of the Western Bean Cutworm in Field Beans in Nebraska ..... (Apr.) 222
HAGLEY, ELMER A. C.—The Role of the Palm Weevil, *Rhynchophorus palmarum* as a Vector of Red Ring Disease of Coconuts. I. Results of Preliminary Investigations ..... (June) 375
Hall, I. M., see H. H. SHOREY ..... (Dec.) 813
HALL, I. M., see L. D. ANDERSON ..... (Feb.) 40
HAMMONS, RAY O., K. V. KROMBEIN and D. B. LEUCK—Some Bees (*Apoidea*) Associated with Peanut Flowering ..... (Sci. Note, Dec.) 905
HANNA, R. L., see J. A. SUNDMAN ..... (Sci. Note, Apr.) 235
HANNA, R. L., see J. K. WALKER, JR. ..... (June) 350
HANNA, R. L., and J. K. WALKER, JR.—The Youden Square as an Experimental Design for the Field Evaluation of Boll Weevil Insecticides ..... (Oct.) 586
HANSENS, ELTON J., and PHILIP GRANETT—Tests of Ciodrin and Other Materials against Face Fly, *Musca autumnalis* ..... (Feb.) 24
HANSENS, ELTON J.—Area Control of *Fannia canicularis* ..... (Sci. Note, Aug.) 541
HANSENS, ELTON J.—Fly Populations in Dairy Barns ..... (Dec.) 842
HANSON, C. H., see J. R. DOGGER ..... (Apr.) 192
HARDEE, D. D., E. W. HUDDLESTON and GEORGE G. GYRISCO—Initial Deposit and Disappearance Rates of Various Insecticides as Affected by Forage Crop Species ..... (Feb.) 98
HARDEE, D. D., H. Y. FORSYTHE, JR., and GEORGE G. GYRISCO—A Survey of the Hemiptera and Homoptera Infesting Grasses (Gramineae) in New York ..... (Oct.) 555
HARDING, JAMES A., and DAN A. WOLFENBARGER—Granulated Systemic Insecticides for Vegetable Insect Control in South Texas ..... (Oct.) 687
HARRIES, F. H.—Effects of Some Antibiotics and Other Compounds on Fertility and Mortality of Orchard Mites ..... (Aug.) 438
HARRIES, F. H., and VAUGHN J. MATTSON—Effects of Some Antibiotics on Three Aphid Species ..... (June) 412
HARRIS, C. R., H. J. SVEC, and J. H. MAZUREK—Susceptibility of Seed Maggot Flies, *Hylemya* spp., to Contact Applications of Aldrin, DDT, and Diazinon ..... (Oct.) 563
HARRIS, R. L., see R. H. ROBERTS ..... (Oct.) 699
HARRISON, JAMES O.—The Natural Enemies of Some Banana Insect Pests in Costa Rica ..... (June) 282
HATCHETT, J. H., see C. F. HENDERSON ..... (Aug.) 483
HAYS, K. L., see H. B. CAMP ..... (June) 402
HAYS, SIDNEY B., and J. H. COCHRAN—A Comparative Study of Certain Biological Phenomena Detected in a Parathion-Treated Strain and a Susceptible Strain of the Plum Curculio, *Conotrachelus nenuphar* ..... (Dec.) 810
HAZELTINE, WILLIAM E.—The Development of a New Concept for Control of the Clear Lake Gnat ..... (Oct.) 621
HENDERSON, C. F., J. H. HATCHETT, and H. G. KINZER—Effectiveness of Insecticides Against the Sorghum Webworm in Sorghum Heads ..... (Aug.) 483
HENNEBERRY, T. J.—Effect of Gamma Radiation on the Fertility and Longevity of *Drosophila melanogaster* ..... (June) 279
HENNEBERRY, T. J.—Effect of Host-Plant Condition and Fertilization on Two-Spotted Spider Mite Fecundity ..... (Aug.) 503
HENNEBERRY, T. J., see FLOYD F. SMITH ..... (June) 274
HENNEBERRY, T. J., see H. E. WAVE ..... (Dec.) 890
HENNEBERRY, THOMAS J., see HORATIO C. MASON ..... (Dec.) 725
Henneberry, T. J., and W. L. MCGOVERN—Some Effects of Gamma Radiation on Fertility of *Drosophila melanogaster* and Viability of Sperm after Multiple Matings of Males ..... (Dec.) 819
HENNEBERRY, T. J., and W. L. MCGOVERN—Effects of Gamma Radiation on Mating Competitiveness and Behavior of *Drosophila melanogaster* Males ..... (Dec.) 739
HENSLEY, S. D., W. H. LONG, E. J. CONCIENNE, and W. J. MCCORMICK—Control of First-Generation Sugarcane Borer Populations in Louisiana ..... (June) 407
HIGHTOWER, B. G.—Nocturnal Resting Places of the Screw-Worm Fly ..... (Aug.) 498
HIGHTOWER, B. G., and D. A. ALLEY—Local Distribution of Released Laboratory-Reared Screw-Worm Flies in Relation to Water Sources ..... (Dec.) 798
HILL, ALFRED, JR., FRED W. KNAPP, and HERBERT KNUTSON—Laboratory Studies with Systemic Insecticides for Control of the Oriental Rat Flea on White Rats ..... (June) 390
HILL, S. O., see W. N. SULLIVAN ..... (Dec.) 869
HILLS, ORIN A., D. L. COUDRIET, C. W. BENNETT, H. K. JEWELL and R. W. BRUBAKER—Effect of Three Insect-Borne Virus Diseases on Sugar Beet Seed Production ..... (Oct.) 690
HINCKLEY, ALDEN D.—The Rice Leafroller, *Susumnia exigua* (Butler), in Fiji ..... (Sci. Note, Feb.) 112
HINMAN, F. G., see A. K. BURDITT, JR. ..... (June) 289
HINMAN, FRANK G., see ARTHUR K. BURDITT, JR. ..... (June) 261
HINTZ, S. D., see WM. M. ROGOFF ..... (Feb.) 82
HODGSON, ERNEST—Effect of Thalidomide on the Growth and Reproduction of *Phormia regina* ..... (Sci. Note, Oct.) 720
HODSON, A. C., see H. C. CHIANG ..... (June) 243
HOFFMAN, R. A., see I. L. BERRY ..... (Dec.) 888
HOFFMAN, R. A., and R. H. Roberts—Horn Fly Control Studies in Mississippi, 1961 ..... (June) 258
HOPKINS, A. R., see H. M. TAFT ..... (Apr.) 180
HOPKINS, T. L., and F. W. KNAPP—Anti-cholinesterases in Blood and Cattle Grubs from Cattle Treated with Ronnel ..... (Dec.) 872
HOOVER, D. L., E. H. FLOYD, and H. D. RICHARDSON—Effects of 300 KV X-Ray Radiation on *Sitophilus oryzae* ..... (Oct.) 584
HORMCHONG, TWEE, and E. A. WOOD, JR.—Evaluation of Barley Varieties for Resistance to the Corn Leaf Aphid ..... (Sci. Note, Feb.) 113
HOUGH, W. S.—Effects of Gamma Radiation on Coddling Moth Eggs ..... (Oct.) 660
HUDDLESTON, E. W., see D. D. HARDEE ..... (Feb.) 98
HUDON, MARCEL—Further Field Experiments on the Use of *Bacillus thuringiensis* and Chemical Insecticides for the Control of the European Corn Borer, *Ostrinia nubilalis*, on Sweet Corn in Southwestern Quebec (Dec.) 804
HUGGANS, J. L.—Occurrence of Asiatic Oak Weevil in Alfalfa and Red Clover in Maryland ..... (Aug.) 531
HUNT, LAWANDA M., see R. D. RADELEFF ..... (June) 272
HUNTER, PRESTON E., and IRA CAPLAN—DDVP Resin Cylinders for the Control of Spider Mites and Some Greenhouse Insect Pests ..... (June) 419

ISAAK, ALBERT, E. L. SORSENSEN, and ELDON E. ORTMAN—Influence of Temperature and Humidity on Resistance in Alfalfa to the Spotted Alfalfa Aphid and Pea Aphid ..... (Feb.) 53
ISAAK, L. W., see M. S. MULLA ..... (Apr.) 184

JACKSON, J. B., see R. D. RADELEFF ..... (June) 272
JACKSON, J. B., see R. L. YOUNGER ..... (Dec.) 757
JACKSON, ROBERT D., and Don C. PETERS—Biological Observations on the European Corn Borer in Southeastern Missouri ..... (Dec.) 741
JAMES, WILLIAM, see H. M. TAFT ..... (Apr.) 180
JAMNBACK, HUGO—Further Observations on the Effectiveness of Chemically Treated Screens in Killing Biting Midges, *Culicoides sanguisuga* (Diptera: Ceratopogoni-

dae) ..... (Oct.) 719
JAY, EDWARD G., JR.—Effect of Organic Content in the Larval Medium on the Production of Two Species of *Hippelates* ..... (Apr.) 127
JENKINS, JOHNIE N., see FOWDEN G. MAXWELL ... (Aug.) 449
JENKINS, JOHNIE N., see FOWDEN G. MAXWELL ... (Dec.) 894
JENKINS, JOHNIE N., see J. C. KELLER .. (Sci. Note, Feb.) 110
JEWELL, H. K., see ORIN A. HILLS ..... (Oct.) 690
JOHNSON, ELMER R., see YUN-PEI SUN ..... (Oct.) 635
JOHNSON, NORMAN E.—Insecticides Tested for Control of the Douglas-Fir Cone Midge ..... (Sci. Note, Apr.) 236
JOHNSON, NORMAN E.—Helicopter Application of Guthion for the Control of the Douglas-Fir Cone Midge .. (Oct.) 600
JOHNSON, V. A., see W. N. SULLIVAN ..... (Dec.) 869
JONES, CALVIN M., and J. G. MEDLEY—Control of the Face Fly on Cattle with Co-Ral in Grain and on Pasture ..... (Apr.) 214

KAE, B. M., see Y. H. BANG ..... (Dec.) 773
KERBEY, GEORGE F.—CARL N. WATTS (1921–1963) ..... (Obituary, Aug.) 546
KELLER, J. C., see FOWDEN G. MAXWELL ..... (Aug.) 449
KELLER, J. C., see FOWDEN G. MAXWELL ..... (Dec.) 894
KELLER, J. C., FOWDEN G. MAXWELL, JOHNIE N. JENKINS, and T. B. DAVICH—A Boll Weevil Attractant from Cotton ..... (Sci. Note, Feb.) 110
KIHGEMAGI, ULO, and L. C. TERRIERE—Multiple Residues of Several Chlorinated Pesticides on Pears ..... (June) 343
KILBY, W. W., see WILLIAM W. NEEL ..... (Feb.) 101
KILPATRICK, JOHN W., and H. F. SCHOOF—Adult House Fly Control with Residual Treatments of Six Organophosphorus Compounds ..... (Feb.) 79
KILPATRICK, JOHN W., and H. F. SCHOOF—Effectiveness of Seven Organophosphorus Compounds as Space Applications against *Musca domestica* ..... (Oct.) 560
KILPATRICK, JOHN W., see RICHARD W. FAY ..... (Feb.) 69
KINARD, W. S., see C. S. CREIGHTON ..... (June) 292
KING, DONALD R.—Scheduling Insecticide Applications for Peach Tree Borer Control ..... (June) 270
KING, RAY C., see WOODROW W. MIDDLEKAUFF ... (Apr.) 155
KINZER, H. G., see C. F. HENDERSON ..... (Aug.) 483
KNAPP, F. W., see T. L. HOPKINS ..... (Dec.) 872
KNAPP, FRED W., see ALFRED HILL, JR. ..... (June) 390
KNUTSON, HERBERT, see ALFRED HILL, JR. ..... (June) 390
KOEHLER, C. S.—*Lygus hesperus* as an Economic Insect on *Magnolia* Nursery Stock ..... (Sci. Note, June) 421
KOEHLER, C. S., and GEORGE G. GYRISCO—Studies on the Feeding Behavior of Alfalfa Weevil Adults from the Eastern and Western United States ..... (Aug.) 489
KOHLER, P. H., see WM. M. ROGOFF ..... (Feb.) 82
KOMATSU, G. H., see MARTIN SHERMAN ..... (Dec.) 847
KROMBEIN, K. V., see RAY O. HAMMONS ..... (Dec.) 905
KROPF, DONALD H., see THEODORE R. ADKINS, JR. ..... (Dec.) 759
KULP, LESLIE A.—Control of the Native Holly Leaf Miner, *Phytomyza ilicicola* (Diptera: Agromyzidae) ..... (Dec.) 736
KURTZ, EDWARD A., see IRWYN A. RAMMER ..... (Oct.) 664

LABRECQUE, G. C., D. W. MEIFERT, and R. L. FYE—A Field Study on the Control of House Flies with Chemosterilant Techniques ..... (Apr.) 150
LABRECQUE, G. C., and H. K. GOUCK—Compounds Affecting Fertility in Adult House Flies ..... (Aug.) 576
LAMSACHI, R. FARVAR, see M. SAYEED QURAISHI ..... (Oct.) 672
LANGSTON, RUBLE, see R. L. GALLUN ..... (Oct.) 702
LEGNER, E. F., and E. R. OATMAN—Pupation Sites of the Eye-Spotted Bud Moth, *Spilonota ocellana*, and Differences in Degree of Development on Two Apple Varieties in Wisconsin ..... (Oct.) 689
LEGNER, E. F., see E. R. OATMAN ..... (Dec.) 786
LEGNER, E. F., and E. R. OATMAN—Natural Biotic Control Factors of the Eye-Spotted Bud Moth, *Spilonota ocellana* on Apple in Wisconsin ..... (Dec.) 730
LEGNER, E. FRED, and DONALD W. DAVIS—Some Effects of Aldrin, Chlordane, Dieldrin, and Heptachlor on the European Earwig, *Forficula auricularia* ..... (Feb.) 29
LEIGH, T. F., see J. HODGE BLACK ..... (Dec.) 789
LEIGH, THOMAS F.—Control of Certain Insects and Mites on Cotton with Three Systemic Organophosphorous Compounds ..... (June) 326
LEIGH, THOMAS F.—The Influence of Two Systemic Organophosphates on Growth, Fruiting, and Yield of Cotton in California ..... (Aug.) 517
LEUCK, D. B., see RAY O. HAMMONS ..... (Dec.) 905
LEWALLEN, LAWRENCE L., and WILLIAM H. WILDER—Laboratory Tests of Insecticides on Mosquito Larvae in Polluted and Tap Water ..... (Dec.) 834
LICHTENSTEIN, E. P., K. R. SCHULZ and G. T. COWLEY—Inhibition of the Conversion of Aldrin to Dieldrin in Soils with Methylenedioxphenyl Synergists ..... (Aug.) 485
LINDGREN, D. L., see R. G. STRONG ..... (Apr.) 144
LINDQUIST, D. A., see D. L. BULL ..... (Apr.) 129
LINDQUIST, D. A., see O. E. SHIPP ..... (Dec.) 793
LIPPOLD, P. C., see H. E. ALLER ..... (Dec.) 721
LISK, D. J., see R. A. MORSE ..... (June) 415
LITTLEFORD, MICHAEL F., and L. P. DITMAN—An Evaluation of Several Insecticides Against Pests of Broccoli ..... (Dec.) 766
LOAN, C. C.—Parasitism of the Dogwood Flea-Beetle, *Altica corni*, in Ontario ..... (Aug.) 537
LOFGREN, C. S., F. J. BARTLETT, and C. E. STRINGER—Imported Fire Ant Toxic Bait Studies: Evaluation of Carriers for Oil Baits ..... (Feb.) 62
LONG, W. H., see S. D. HENSLEY ..... (June) 407
LOPEZ D., F., see M. McPHAIL ..... (Aug.) 496
LOPEZ D., Fernando—Two Attractants for *Eulaema tropica* L. ..... (Aug.) 540
LOVELL, J. BYRON—The Relationship of Anti-cholinesterase Activity, Penetration, and Insect and Mammalian Toxicity of Certain Organophosphorus Insecticides ..... (June) 310
LOWE, SUNNY, AND FRANK E. STRONG—The Unsuitability of Some Viruliferous Plants as Hosts for the Green Peach Aphid, *Myzus persicae* ..... (June) 307
LOWRY, W. L., see CHING H. TSAO ..... (Apr.) 158
LOWRY, W. L., see CHING H. TSAO ..... (June) 370
LOWRY, W. L., see CHING H. TSAO ..... (June) 388
LUCKMANN, W. H.—Measurements of the Incubation Period of Corn Earworm Eggs ..... (Feb.) 60
LUCKMANN, WILLIAM H.—Observations on the Biology and Control of *Glischrochilus quadrisignatus* ..... (Oct.) 681
LUKEFAHR, M. J., and D. F. MARTIN—Evaluation of Damage to Lint and Seed of Cotton Caused by the Pink Bollworm ..... (Oct.) 710

MACCREARY, DONALD—LOUIS AGASSIZ STEARNS (1892–1960) ..... (Obituary, Feb.) 121
MACCUAIG, R. D., and W. S. WATTS—Laboratory Studies to Determine the Effectiveness of DDVP Sprays for the Control of Locusts ..... (Dec.) 850
MADSEN, HAROLD F., see R. D. GEHRING ..... (Apr.) 140
MAKSYMIUK, BOHDAN—Spray Deposit on Oil-Sensitive Cards and Spruce Budworm Mortality ..... (Aug.) 465
MANGLITZ, G. R., and C. O. CALKINS—Plowing for Sweetclover Weevil Control ..... (Oct.) 716
MANN, H. D., see H. V. CLABORN ..... (Dec.) 858
MARCH, R. B., see T. R. FUKUTO ..... (Dec.) 808
MARTIN, D. F., see H. M. GRAHAM ..... (Dec.) 901
MARTIN, D. F., see M. J. LUKEFAHR ..... (Oct.) 710
MARZKE, F. O.—Food Preference Studies with *Trogoderma inclusum*, a Pest of the Dry Milk Industry ..... (Sci. Note, Feb.) 109
MASON, HORATIO C.—Baited Traps for Sampling *Drosophila* Populations in Tomato Field Plots ..... (Sci. Note, Dec.) 897
MASON, HORATIO C., see H. E. WAVE ..... (Dec.) 890
MASON, HORATIO C., THOMAS J. HENNEBERRY, and HAROLD C. GIBSON—Attractiveness of Insecticide Baits to Adults of *Drosophila melanogaster* ..... (Dec.) 725
MATSUMURA, F., and A. W. A. BROWN—Studies on Carboxyesterase in Malathion-Resistant *Culex tarsalis* ..... (June) 381
MATTESON, J. W., and H. M. TAFT—Carbamate-Induced Systemic Repellency to the Boll Weevil on Cotton ..... (Sci. Note, Dec.) 892

MATTESON, J. W., H. M. TAFT, and C. F. RAINWATER—Chemically Induced Resistance in the Cotton Plant to Attack by the Boll Weevil.....(Apr.) 189
MATTHYSSE, J. G., see J. D. FOULK.....(June) 321
MATTSON, VAUGHN J., see F. H. HARRIES.....(June) 412
MAXWELL, C. W., and E. C. PARSONS—Comparing Inert Ingredients in Lead Arsenate Sprays in Laboratory Toxicity Tests Against the Apple Maggot, *Rhagoletis pomonella*.....(Oct.) 626
MAXWELL, C. W., W. T. A. NEILSON, and F. A. WOOD—Evaluation of Lead Arsenate for Control of the Apple Maggot, *Rhagoletis pomonella* in New Brunswick.....(Apr.) 160
MAXWELL, FOWDEN G., see J. C. KELLER.....(Sci. Note, Feb.) 110
MAXWELL, FOWDEN G., JOHNIE N. JENKINS, and J. C. KELLER—A Boll Weevil Repellent from the Volatile Substance of Cotton.....(Sci. Note, Dec.) 894
MAXWELL, FOWDEN G., JOHNIE N. JENKINS, J. C. KELLER, and WILLIAM L. PARROTT—An Arrestant and Feeding Stimulant for the Boll Weevil in Water Extracts of Cotton-Plant Parts.....(Aug.) 449
MAYER, M. S., and J. R. BRAZZEL—The Mating Behavior of the Boll Weevil *Anthonomus grandis*.....(Oct.) 605
MAZUREK, J. H., see C. R. HARRIS.....(Oct.) 563
MCCAIN, F. S., W. G. EDEN, B. W. ARTHUR, and M. C. CARTER—Amino Acid Content of Corn Silks in Relation to Resistance to Corn Earworm.....(Sci. Note, Dec.) 902
MCCORMICK, W. J., see S. D. HENSLEY.....(June) 407
MCDONALD S.—Chemical Control of the Beet Webworm on Sugar Beets in Southern Alberta.....(June) 248
MCEWEN, F. L., see A. C. DAVIS.....(Sci. Note, Aug.) 532
MCGARR, R. L., and A. J. CHAPMAN—Control of Three Important Cotton Insects in the Lower Rio Grande Valley in 1960.....(Sci. Note, Dec.) 902
MCGOVERN, W. L., see T. J. HENNEBERRY.....(Dec.) 739
MCPHAIL, M., F. LOPEZ D., and J. F. MURCIO VELASCO—Within-Package Ethylene Dibromide Fumigation of Mangoes and Grapefruit in Fiberboard Cartons to Destroy Mexican Fruit Fly Infestations.....(Aug.) 496
MEADE, A. B., see A. G. PETERSON.....(Oct.) 580
MECHALAS, BYRON J., see PAUL H. DUNN.....(Dec.) 899
MEDLEY, J. G., see CALVIN M. JONES.....(Apr.) 214
MEDLEY, J. G., R. O. DRUMMOND, and O. H. GRAHAM—Field Tests with Low-Level Feeding of Ronnel for Control of Cattle Grubs and Horn Flies.....(Aug.) 500
MEDLEY, J. G., and R. O. DRUMMOND—Tests with Insecticides for Control of Lice on Goats and Sheep (Oct.) 658
MEIFERT, D. W., see G. C. LABRECQUE.....(Apr.) 150
MEIFERT, D. W., see H. K. GOUCK.....(Aug.) 445
MEIFERT, D. W., see H. K. GOUCK.....(Aug.) 506
MENZER, R. E., and L. P. DITMAN—Phosphamidon Residue Studies on Various Crops.....(Feb.) 88
MERKL, M. E., and JAMES R. MEYER—Studies of Resistance of Cotton Strains to the Boll Weevil.....(Dec.) 860
METCALF, R. L., CELIA FUERTES-POLO, and T. R. FUKUTO—Carbamate Insecticides: Multisubstituted Chloro- and Methyl-phenyl *N*-methylcarbamates.....(Dec.) 862
METCALF, R. L., see T. R. FUKUTO.....(Dec.) 808
MEYER, JAMES R., see M. E. MERKL.....(Dec.) 860
MIDDLEKAUFF, WOODROW W., CIRIACO Q. GONZALES, and RAY C. KING—Effect of Various Insecticides in the Control of Caterpillars Attacking Tomato in California.....(Apr.) 155
MOFFITT, H. R., see M. M. BARNES.....(Dec.) 722
MORSE, R. A., L. E. ST. JOHN, and D. J. LISK—Residue Analysis of Sevin in Bees and Pollen.....(Sci. Note, June) 415
MOUNT, D. A., see F. E. GUTHRIE.....(Feb.) 7
MULLA, M. A.—Activity of New Insecticides against Adults of *Hippelates collusor* and *H. pusio*.....(Feb.) 47
MULLA, MIR S.—Chemical Repellents for *Hippelates* Eye Gnats—A Method and Procedure for Evaluation.....(Dec.) 753
MULLA, MIR S.—An Ecological Basis for the Suppression of *Hippelates* Eye Gnats.....(Dec.) 768
MULLA, M. S., L. W. ISAAK, and H. AXELROD—Field Studies on the Effects of Insecticides on Some Aquatic Wildlife Species.....(Apr.) 184
MUMA, MARTIN H., see D. W. CLANCY.....(Oct.) 603
MYERS, R. B., see B. H. WILSON.....(Oct.) 578

NAGASAWA, SUMIO, and SHOJI ASANO—An Inbreeding Method of Rearing the House Fly.....(Oct.) 714
NAKAKIHARA, H., see L. D. ANDERSON.....(Feb.) 40
NEEL, WILLIAM W., CLYDE L. BLOUNT, and W. W. KILBY—Systemic Insecticides Applied as a Topical Pour-On and as an Oral Drench for Cattle Grub Control.....(Feb.) 101
NEFF, DAVID L., and ERMA S. VANDERZANT—Methods of Evaluating the Chemotropic Response of Boll Weevils to Extracts of the Cotton Plant and Various Other Substances.....(Dec.) 761
NEILSON, W. T. A., see C. W. MAXWELL.....(Apr.) 160
NLUNZIG, H. H.—Wild Host Plants of the Corn Earworm and the Tobacco Budworm in Eastern North Carolina.....(Apr.) 135
NEWTON, R. C., see H. W. PRESCOTT.....(June) 368
NIELSON, M. W., and E. E. BLEAK—Relationship of Sex and Population Densities of the Leafhopper, *Aceratagallia curvata*, to Damage of Seedling Alfalfa.....(Feb.) 93
NIEMCZYK, H. D., and G. PRINS—A Plot Seeder Modified to Apply Seed and Granular Insecticides Simultaneously.....(Sci. Note, Aug.) 529
NOBLE, L. W., see A. J. CHAPMAN.....(Dec.) 900
NORRIS, DALE M., see RICHARD D. GOEDEN.....(Sci. Note, Apr.) 238

OATMAN, E. R., see E. F. LEGNER.....(Oct.) 689
OATMAN, E. R., see E. F. LEGNER.....(Dec.) 730
OATMAN, EARL R.—Additional Studies on the Bionomics of the Eye-Spotted Bud Moth, *Spilonota ocellana*, on Sour Cherry in Wisconsin.....(Sci. Note, Dec.) 903
OATMAN, E. R., E. F. LEGNER, and R. F. BROOKS—Chemical Control of the Eye-Spotted Bud Moth on Sour Cherry in Wisconsin.....(Dec.) 786
OERTEL, E.—Greater Wax Moth Develops on Bumble Bee Cells.....(Aug.) 543
OERTEL, JOSEPH C., see MILTON H. SARTOR.....(Sci. Note, Aug.) 536
OGLESBY, W. T., see B. H. WILSON.....(Oct.) 578
ORTMAN, ELDON E., see ALBERT ISAAK.....(Feb.) 53
OSMANI, M. H., see M. SAYEED QURAISHI.....(Oct.) 668

PALMITER, D. H., see R. W. DEAN.....(Sci. Note, Aug.) 540
PARENCIA, C. R., JR., see C. B. COWAN, JR.....(Aug.) 494
PARROTT, WILLIAM L., see FOWDEN G. MAXWELL.....(Aug.) 449
PARSONS, E. C., see C. W. MAXWELL.....(Oct.) 626
PARSONS, G. M., see E. F. TASCHENBERG.....(Aug.) 431
PENCE, ROY J.—The Antimetabolite, Imidazole, as a Pesticide.....(Feb.) 1
PETERS, DON C., see ROBERT D. JACKSON.....(Dec.) 741
PETERSON, A. G., M. S. SILBERMAN, and A. B. MEADE—Development of Resistance to Insecticides by the Onion Maggot, *Hylemya antiqua*, in Minnesota.....(Oct.) 580
PETERSON, R. C., see R. C. DOBSON.....(Apr.) 230
PFADT, ROBERT E., and JOHN CAMPBELL—Sheep Bot Fly Control Tests with DDVP.....(Sci. Note, Aug.) 530
PHILLIPS J. H. H., and E. H. SMITH—Further Studies on Susceptibility of European Fruit Lecanium, *Lecanium corni* Bouche, to Oil.....(Apr.) 175
PHILLIPS, JACOB R., see JERRY B. GRAVES.....(Aug.) 442
PIMENTEL, DAVID, see FREDERICK A. STREAMS.....(Sci. Note, Feb.) 108
PLAPP, FREDERICK W., JR., WALTER S. BIGLEY, GARY A. CHAPMAN, and GAINES W. EDDY—Synergism of Malathion against Resistant House Flies and Mosquitoes.....(Oct.) 643
POINAR, GEORGE O., JR., and GEORGE G. GYRISCO—Hymenopterous Parasites of the Alfalfa Weevil, *Hypera postica* in New York.....(Aug.) 533
POLEN, PERCY B., see R. D. RADELEFF.....(Feb.) 71
POND, D. D.—Control of Potato Aphids with Systemic Insecticides.....(Apr.) 227
POWELL, W. L., see G. M. BOUSH.....(Feb.) 15

PRESCOTT, H. W., see C. W. GETZENDANER.....(Obituary, Feb.) 121

PRESCOTT, H. W., and R. C. NEWTON—Flight Study of the Clover Root Curculio.....(June) 368

PRINS, G., see H. D. NIEMCZYK.....(Sci. Note, Aug.) 529

PROKOPY, RONALD J., and GEORGE G. GYRISCO—A Fall Flight Period of the Alfalfa Weevil in New York.....(Sci. Note, Apr.) 241

PRUESS, K. P.—Effects of Food, Temperature, and Oviposition Site on Longevity and Fecundity of the Army Cutworm.....(Apr.) 219

PUTTLER, BENJAMIN, see LEON W. COLES.....(Oct.) 609

QURAISHI, M. SAYEED—Nocturnal Prevalence of Anopheline Mosquitoes in Mymensingh District, East Pakistan.....(Oct.) 670

QURAISHI, M. SAYEED—Water and Food Relationship of the Eggs and First Instar Nymph of *Eurygaster integriceps* with the Aid of $P^{32}$.....(Oct.) 666

QURAISHI, M. SAYEED, R. FARVAR LAMSACHI, and C. ERGUL—Laboratory Studies on Tagging of *Anopheles stephensi*.....(Oct.) 672

QURAISHI, M. SAYEED, M. H. OSMANI, and S. HILAL AHMAD—Effect of Ultrasonic Waves on the Hatching of *Aedes aegypti* Eggs at a Frequency of 0.5 mc/s...(Oct.) 668

RABB, R. L., see F. E. GUTHRIE.....(Feb.) 7

RADELEFF, R. D., see H. V. CLABORN.....(Dec.) 858

RADELEFF, R. D., J. B. JACKSON, LAWANDA M. HUNT, W. B. BUCK, and MITCHELL WRICH—The Acute Toxicity of Ronnel Applied Dermally to Cattle and Sheep.....(June) 272

RADELEFF, R. D., and PERCY B. POLEN—Residues in Beef Fat Following Heptachlor Feeding.....(Feb.) 71

RADELEFF, R. D., see R. L. YOUNGER.....(Oct.) 592

RADELEFF, R. D., see R. L. YOUNGER.....(Dec.) 757

RAGHUVIR, N. N., see DONALD W. DAVIS.....(Oct.) 674

RAINWATER, C. F., see J. W. MATTESON.....(Apr.) 189

RAMMER, IRWYN A., ROBERT O. ARIAS, and EDWARD A. KURTZ—The Control of the Pear Leaf Blister Mite with Endosulfan.....(Oct.) 664

RANDOLPH, N. M., see GEORGE W. DOERING.....(Aug.) 454

RAWSON, J. W., see U. E. BRADY, JR.....(Feb.) 74

REDFERN, R. E.—Concentrate Media for Rearing Red-Banded Leaf Roller.....(Sci. Note, Apr.) 240

REED, J. K., see S. G. TURNIPSEED.....(June) 410

Richardson, H. D., see D. L. HOOVER.....(Oct.) 584

RICHARDSON, HENRY H., and HERBERT ROTH—Ethylene Oxide Fumigants to Eliminate Quarantinable Snails *Cochlicella* or *Theba* in Cargo.....(Dec.) 836

RICHARDSON, HENRY H., see HERBERT ROTH.....(Dec.) 839

RIEHL, L. A., see J. L. RODRIGUEZ.....(Aug.) 509

RILEY, W. D., see OSCAR G. BACON.....(Sci. Note, Aug.) 542

ROBERTS, I. H.—HAROLD O. PETERSON (1906–1963).....(Obituary, Dec.) 907

ROBERTS, RICHARD B.—A New Host and Distributional Record for *Systole geniculata* (Hymenoptera: Eurytomidae).....(Aug.) 541

ROBERTS, R. H., see R. A. HOFFMAN.....(June) 258

ROBERTS, R. H., R. L. HARRIS, and O. H. GRAHAM—Effects of Additives on the Toxicity of Pyrethrins to Stable Flies and Horn Flies.....(Oct.) 699

ROBERTS, R. H., and W. F. CHAMBERLAIN—Factors Contributing to the Loss of Insecticide Deposits on Cattle.....(Oct.) 614

ROBERTS, R. J.—Improved Methods for Obtaining and Rearing First-Instar *Cyclocephala immaculata* Larvae for Experimentation.....(Sci. Note, Aug.) 538

ROBERTS, R. J.—Availability of Dieldrin to Adult *Blissus leucopterus* and Larval *Cyclocephala immaculata* in Treated Sand, Loam, and Muck Soils.....(Dec.) 781

ROBERTSON, O. T., see A. J. CHAPMAN.....(Dec.) 900

ROBERTSON, O. T., see L. C. FIFE.....(Apr.) 172

ROBINSON, R. W., see A. C. DAVIS.....(Sci. Note, Aug.) 532

RODRIGUEZ, J. L., and L. A. RIEHL—Northern Fowl Mite Tolerant to Malathion.....(Aug.) 509

ROGERS, T. E., see B. H. WILSON.....(Oct.) 578

ROGOFF, WM. M., P. H. KOHLER, and S. D. HINTZ—Pour-On Treatments of DDT or Toxaphene for Horn Fly Control.....(Feb.) 82

ROLSTON, L. H., and R. R. WALTON—Parathion Residue in Greens.....(Apr.) 169

ROSS, ERNEST, see MARTIN SHERMAN.....(Feb.) 10

ROTH, HERBERT, see HENRY H. RICHARDSON.....(Dec.) 836

ROTH, HERBERT, and HENRY H. RICHARDSON—Tolerance of Imported Garlic Bulbs to Methyl Bromide Fumigation and Hot-Water Dips.....(Dec.) 839

ROUSSEL, JOHN S., see JERRY B. GRAVES.....(Aug.) 442

ROWELL, JOHN O.—JOHN PAUL VINZANT (1907–1962).....(Obituary, June) 424

ST. JOHN, L. E., see R. A. MORSE.....(June) 415

SANCHEZ, F. F., see MARTIN SHERMAN.....(Feb.) 10

SANCHEZ, FERNANDO F., and MARTIN SHERMAN—Toxicity of Insecticides to *Cryptophlebia illepida* (Lepidoptera: Eucosmidae), a Pest of the Macadamia Nut.....(June) 362

SANCHEZ, LOUIS O.—A Scissors Device for Collecting Leaf Samples from Apple Trees.....(Sci. Note, Apr.) 235

SANDERS, D. P., see R. C. DOBSON.....(Sci. Note, Oct.) 717

SARTOR, MILTON H., and JOSEPH C. OERTEL—Portable Black-Light Trap: Battery & AC Operation.....(Sci. Note, Aug.) 536

SBUR, D. E., see R. G. STRONG.....(June) 372

SCHAEFERS, G. A.—Seasonal Densities and Control of the Cyclamen Mite, *Steneotarsonemus pallidus* (Acarina: Tarsonemidae) on Strawberry in New York.....(Oct.) 565

SCHECHTER, M. S., S. R. DUTKY, and W. N. Sullivan—Recording Circadian Rhythms of the Cockroach with a Capacity-Sensing Device.....(Feb.) 76

SCHMIEGE, Donald C.—The Feasibility of Using a Neoaplectanid Nematode for Control of Some Forest Insect Pests.....(Aug.) 427

SCHOOF, H. F., see JOHN W. KILPATRICK.....(Feb.) 79

SCHOOF, H. F., see JOHN W. KILPATRICK.....(Oct.) 560

SCHROEDER, HARRY W., see ELVIN W. TILTON.....(Dec.) 727

SCHULZ, K. R., see E. P. LICHTENSTEIN.....(Aug.) 485

SCHUSTER, M. F., see DAN A. WOLFENBARGER.....(Dec.) 733

SELHIME, ALLEN G., see D. W. CLANCY.....(Oct.) 603

SENGUPTA, G. C.—The Role of New Insecticides for Control of Rice Stem Borer in Orissa.....(Dec.) 802

SEO, S. T., see A. K. BURDITT, JR.....(June) 289

SHANDS, W. A., and G. W. SIMPSON—The Relationship Between Sprout Inhibitors and Overwintering of Aphids on Outdoor Piles of Cull Potatoes.....(Sci. Note, Dec.) 899

SHANKS, CARL H., JR.—Duration of Control of the Strawberry Aphid by Several Chemicals.....(Sci. Note, Aug.) 535

SHANKS, CARL H., JR., and GEORGE GANS—A Portable Electrically Powered Aspirator.....(Sci. Note, Apr.) 237

SHERMAN, MARTIN, ERNEST ROSS, F. F. SANCHEZ, and M. T. Y. CHANG—Chronic Toxicity of Dimethoate to Hens.....(Feb.) 10

SHERMAN, MARTIN, see FERNANDO F. SANCHEZ.....(June) 362

SHERMAN, MARTIN, and G. H. KOMATSU—Maggot Development in Droppings from Chicks Fed Organophosphorus Insecticide-Treated Rations.....(Dec.) 847

SHERMAN, RALPH W.—MERLIN P. JONES (1895–1963).....(Obituary, Aug.) 545

SHIPP, O. E., D. A. LINDQUIST, and J. R. BRAZZEL—Characteristics of Residues of Methyl Parathion Applied to Field Cotton.....(Dec.) 793

SHOCKLEY, WILFRED—CLAUDE WAKELAND (1888–1960).....(Obituary, June) 423

SHOREY, H. H.—Soil Applications of Systemic Insecticides for Control of the Green Peach Aphid on Peppers.....(June) 340

SHOREY, H. H.—A Simple Artificial Rearing Medium for the Cabbage Looper.....(Aug.) 536

SHOREY, H. H.—Field Experiments on Insecticidal Control of Lepidopterous Larvae on Cabbage and Cauliflower.....(Dec.) 877

SHOREY, H. H.—Differential Toxicity of Insecticides to the Cabbage Aphid and Two Associated Entomophagous Insect Species.....(Dec.) 844

SHOREY, H. H., and I. M. HALL—Toxicity of Chemical

and Microbial Insecticides to Pest and Beneficial Insects on Poled Tomatoes.....(Dec.) 813
SHOREY, H. H., L. D. ANDERSON, and T. R. FUKUTO—Dylox Residues on Vegetable Crops.....(Sci. Note, Aug.) 532
SILBERMAN, M. S., see A. G. PETERSON.....(Oct.) 580
SIMPSON, G. W., see W. A. SHANDS.....(Dec.) 899
SINGH, SHIV RAJ, and E. A. WOOD, JR.—Effect of Temperature on Fecundity of Two Strains of the Greenbug.....(Sci. Note, Feb.) 109
SLEESMAN, J. P., see DAN A. WOLFENBARGER.....(Dec.) 895
SMITH, E. H.—Control of the Peach Tree Borer on Young Peach Trees by Pre-Plant Treatment with DDT, Dieldrin and Endosulfan.....(Aug.) 463
SMITH, E. H., see B. J. FIORI.....(Dec.) 885
SMITH, E. H., see J. H. H. PHILLIPS.....(Apr.) 175
SMITH, FLOYD F., R. A. FULTON, and A. L. BOSWELL—Some Variations in Response of Two-Spotted Spider Mite to Acaricides.....(Apr.) 224
SMITH, FLOYD F., T. J. HENNEBERRY, and A. L. BOSWELL—The Pesticide Tolerance of *Typhlodromus fallacis* (Garman) and *Phytoseiulus persimilis* A. H. with Some Observations on the Predator Efficiency of *P. persimilis*.....(June) 274
SMITH, G. L., see A. J. CHAPMAN.....(Dec.) 900
SMITH, RICHARD H.—Preferential Attack by *Dendroctonus terebrans* on *Pinus elliotti*.....(Dec.) 817
SMITH, RICHARD H.—Toxicity of Pine Resin Vapors to Three Species of *Dendroctonus* Bark Beetles.....(Dec.) 827
SMITH, THEODORE A., see A. RALTH BARR.....(Apr.) 123
SMITTLE, B. J., and G. S. BURDEN—Organophosphorus Insecticides for Control of Brown Dog Ticks Infesting Homes.....(Sci. Note, June) 415
SOLIMAN, SOAD A., and L. K. CUTKOMP—A Comparison of Chemoreceptor and Whole-Fly Responses to DDT and Parathion.....(Aug.) 492
SORENSEN, E. L., see ALBERT ISAAK.....(Feb.) 53
STAHLER, NATHAN and LEVON A. TERZIAN—The Response of Blood-Fed *Aedes aegypti* to Gamma Radiation.....(Sci. Note, June) 416
STERN, VERNON M.—The Effect of Various Insecticides on *Trichogramma semifumatum* and Certain Predators in Southern California.....(June) 348
STONE, M. W., and ROY E. CAMPBELL—Rodney Cecil (1898–1962).....(Obituary, June) 423
STRATTON, VIRGIL S., see Deane P. FURMAN.....(Dec.) 904
STREAMS, FREDERICK A., and DAVID PIMENTEL—Biology of the Harlequin Bug, *Murgantia histironica*.....(Sci. Note, Feb.) 108
STRINGER, C. E., see C. S. LOFGREN.....(Feb.) 62
STRONG, FRANK E., see SUNNY LOWE.....(June) 307
STRONG, R. G., and D. E. SBUR—Protection of Wheat Seed with Diatomaceous Earth.....(June) 372
STRONG, R. G., and D. L. LINDGREN—Germination of Grain Sorghum and Sudan Grass Seeds After Fumigation with Methyl Bromide and Hydrocyanic Acid.....(Apr.) 144
SULLIVAN, W. N., see M. S. SCHECHTER.....(Feb.) 76
SULLIVAN, W. N., see R. A. FULTON.....(Dec.) 906
SULLIVAN, W. N., S. O. HILL, C. H. GADDIS, R. D. CHISHOLM, and V. A. JOHNSON—Micronized Insecticidal Dusts for Aircraft Disinsectization.....(Dec.) 869
SUN, YUN-PEI, and ELMER R. JOHNSON—A New Bioassay Technique, with Special Reference to the Specific Bioassay of DDVP Insecticide.....(Oct.) 635
SUNDMAN, J. A., and R. L. HANNA—Relative Seasonal Abundance of Two Species of *Heliothis* on Cotton in an Area of Brazos County, Texas.....(Sci. Note, Apr.) 235
SVEC, H. J., see C. R. HARRIS.....(Oct.) 563
SWENSON, K. G.—Systemic Insecticides for Aphid Control in Garden Lily Production.....(Oct.) 680

TAFT, H. M., A. R. HOPKINS, and WILLIAM JAMES—Differences in Reproductive Potential, Feeding Rate, and Longevity of Boll Weevils Mated in the Fall and Spring.....(Apr.) 180
TAFT, H. M., see J. W. MATTESON.....(Apr.) 189
TAFT, H. M., see J. W. MATTESON.....(Dec.) 892
TAHORI, A. S.—Selection for a Fluoroacetate Resistant Strain of House Flies and Investigation of its Resistance Pattern.....(Feb.) 67
TAPPAN, WILLIAM B.—Insecticides for the Control of the Green Peach Aphid on Shade-Grown Tobacco.....(Feb.) 34
TASCHENBERG, E. F., A. W. AVENS, G. M. PARSONS, and S. D. GIBBS—Disappearance of Spray Deposits of DDT, Methoxychlor, Perthane, Ethion and Diazinon from Concord Grapes.....(Aug.) 431
TERRANOVA, ANDREW C., and GEORGE W. WARE—Studies of Endosulfan in Bean Plants by Paper and Gas Chromatography.....(Oct.) 596
TERRIERE, L. C., see ULO KIGEMAGI.....(June) 343
TERZIAN, LEVAN A., see NATHAN STAHLER.....(June) 416
THOMAS, C. A., JR., see S. E. BENNETT.....(Sci. Note, Apr.) 239
THORPE, DARWIN R., and GEORGE W. WARE—Nitrofurans as Chemosterilants of Stored-Grain Insects.....(June) 404
TILTON, ELVIN W., and HARRY W. SCHROEDER—Some Effects of Infrared Irradiation on the Mortality of Immature Insects in Kernels of Rough Rice.....(Dec.) 727
TILTON, ELVIN W., see ROBERT R. COGBURN.....(Oct.) 706
TOBA, H. HAROLD—Vector-Virus Relationships of Watermelon Mosaic Virus and the Green Peach Aphid, *Myzus persicae*.....(Apr.) 200
TONN, ROBERT J.—The Ear Mite, *Otodectes cynotis*, in Dogs: A Report of Two Surveys.....(Sci. Note, Dec.) 892
TRIPLEHORN, C. A., see B. D. BLAIR.....(Dec.) 894
TSAO, CHING H., and W. L. LOWRY—Control of the Pink Bollworm and a Method for Estimating Losses in Cotton Yield.....(Apr.) 158
TSAO, CHING H., and W. L. LOWRY—Insecticidal Control Of First-Instar Pink Bollworm Larvae and Observations of Their Dispersal on Cotton Plants.....(June) 370
TSAO, CHING H., and W. L. LOWRY—Effect of DDT on Pink Bollworm Populations.....(June) 388
TURNIPSEED, S. G., and J. K. REED—The Rate of Leaching of Dieldrin from Attapulgite Clay Granules.....(June) 410
TUTTLE, D. M., see D. L. COUDRIET.....(Dec.) 865

VANDERZANT, ERMA S.—Nutrition of the Boll Weevil Larva.....(June) 357
VANDERZANT, ERMA S., see DAVID L. NEFF.....(Dec.) 761
VELASCO, J. F. MURCIO, see M. MCPHAIL.....(Aug.) 496

WAGNER, ROBERT E., see WALTER EBELING.....(Sci. Note, Oct.) 715
WALKER, J. K., JR., and R. L. HANNA—Development of Populations of the Boll Weevil in Fields Treated with Various Insecticides During 1959, 1960, and 1961.....(June) 350
WALKER, J. K., JR., see R. L. HANNA.....(Oct.) 586
WALKER, JOHN R., and TOM A. BRINDLEY—Effect of X-Ray Exposure on the European Corn Borer.....(Aug.) 522
WALKER, KENNETH C., see WILLIAM C. COOK.....(Feb.) 95
WALKER, R. L., and J. H. FALES—PRICE G. PIQUETT (1908–1963).....(Obituary, Dec.) 907
WALTON, R. R., see L. H. ROLSTON.....(Apr.) 169
WARE, G. W., see B. D. BLAIR.....(Dec.) 894
WARE, GEORGE W., see DARWIN R. THORPE.....(June) 404
WARE, GEORGE W., see ANDREW C. TERRANOVA.....(Oct.) 596
WATANABE, T., see J. E. CASIDA.....(Feb.) 18
WATANABE, T., and J. E. CASIDA—Response of *Reticulitermes flavipes* to Fractions from Fungus-Infected Wood and Synthetic Chemicals.....(June) 300
WATTERS, F. L.—The Cooling of Heating Grain by Transfer During Cold Weather.....(Apr.) 215
WATTS, W. S., see R. D. MACCUAIG.....(Dec.) 850
WAVE, H. E., T. J. HENNEBERRY, and HORATIO C. MASON—Fluorescent Biological Stains as Markers for Drosophila.....(Dec.) 890
WEEKMAN, GERALD T. and HAROLD J. BALL—A Portable Electrically Operated Collecting Device.....(Oct.) 708
WEEKMAN, GERALD T., see HAROLD J. BALL.....(Oct.) 553
WHITE, KATHLEEN E., see A. RALPH BARR.....(Apr.) 123
WICKMAN, BOYD E.—The Large Aspen Tortrix, *Choristoneura conflictana* in California (Lepidoptera: Tortricidae).....(Oct.) 593

WILDER, WILLIAM H., see LAWRENCE L. LEWALLEN ..... (Dec.) 834
WILSON, B. H., see EDWARD C. BURNS ..(Sci. Note, Oct.) 718
WILSON, B. H., E. C. BURNS, W. T. OGLESBY, R. B. MYERS, T. E. ROBERS, and JAMES WIMBERLY—The Effect of Horse Fly Control on Rate of Infection of Bovine Anaplasmosis Under Field Conditions in Louisiana ..... (Oct.) 578
WILSON, LOUIS F.—Host Preference for Oviposition by the Spruce Budworm in the Lake States ..... (June) 285
WILSON, LOUIS F., and JAMES L. BEAN—Site of Spruce Budworm Egg Masses on their Preferred Hosts in the Lake States ..... (Oct.) 574
WIMBERLY, JAMES, see B. H. WILSON ..... (Oct.) 578
WINGO, CURTIS W., see OSCAR L. BENSON ..... (June) 251
WINTERFELD, ROBERT G., see CALVIN E. DEONIER ..... (Sci. Note, Feb.) 114
WINTON, M. Y., see T. R. FUKUTO ..... (Dec.) 808
WOLFENBARGER, DAN A., and J. P. SLEESMAN—Variation in Susceptibility of Soybean Pubescent Types, Broad Bean, and Runner Bean Varieties and Plant Introductions to the Potato Leafhopper ..... (Sci. Note, Dec.) 895
WOLFENBARGER, DAN A., see JAMES A. HARDING ..... (Oct.) 687
WOLFENBARGER, DAN A., and M. F. SCHUSTER—Insecticides for Control of the Cowpea Curculio, *Chalcodermus aenus* on Southernpeas ..... (Dec.) 733
WOLFENBARGER, D. O.—The Banded Cucumber Beetle and Its Control ..... (Dec.) 770
WOLFENBARGER, D. O.—Control Measures for the Leafhopper, *Empoasca kraemeri* on Beans ..... (June) 417
WOOD, E. A., JR., see SHIV RAJ SINGH ..... (Sci. Note, Feb.) 109
WOOD, E. A., JR., see TWEE HORMCHONG ..... (Sci. Note, Feb.) 113
WOOD, F. A., see C. W. MAXWELL ..... (Apr.) 160
WOODS, SAM G., see THEODORE R. ADKINS, JR. ..... (Dec.) 757
WORKMAN, R. B.—Insecticide Resistance Tests for the Southern Potato Wireworm ..... (Sci. Note, June) 419
WRAY, CLAYTON, and MAURICE H. FARRIER—Response of the Nantucket Pine Tip Moth to Attractants ..... (Sci. Note, Oct.) 714
WRICH, MITCHELL, see R. D. RADELEFF ..... (June) 272

YAMAMOTO, ROBERT—Collection of the Sex Attractant from Female American Cockroaches ..... (Sci. Note, Feb.) 119
YEOMANS, A. H., see R. A. FULTON ..... (Dec.) 906
YOUNG, V. D., see CALVIN E. DEONIER ..... (Sci. Note, Feb.) 114
YOUNGER, R. L., see H. V. CLABORN ..... (Dec.) 858
YOUNGER, R. L., and R. D. RADELEFF—Tolerance of Cattle to Diazinon Sprays Applied at Weekly Intervals ..... (Oct.) 592
YOUNGER, R. L., R. D. RADELEFF, and J. B. JACKSON—Preliminary Studies of the Toxicity of Carbophenothion and Methyl Trithion in Livestock ..... (Dec.) 757